

# Material Safety Data Sheet

## 1. Identification of the substance / preparation and of the company / undertaking

Product Name : DTGYELLOW  
First issued: 11/01/2006, Version 1.01  
Use : Inkjet printing ink  
Company: Colman & Co., Inc.  
Company Address: 5409 S. Westshore Blvd.  
Tampa, FL 33611  
Tel: 800-891-1094  
Fax: 813-839-2896

For Non-emergency/ Colman & Co 1-800-891-1094 (9am-5pm, USA - EST)  
Emergency / CHEMTREC 1-800-424-9300 (24 hours, USA)

## 2. Composition / information on ingredients

General description Mixture of pigments in aqueous media.  
Hazardous ingredients Hazards shown below refer to named substance. Concentration in preparation is shown on the right.

Treated Colour Pigment Yellow		1-5%
Water		30-80%
Binder component	S23-33-38	5-30%
Humectant	Hazard symbols, Xn R phrases 22	5-30%

Exposure limit applies. See section 8.

## 3. Hazards identification

Overview: A yellow liquid.  
Potential Environmental Effects: No significant environmental hazards are expected if material is released to the environment.  
Caution: Avoid skin and eye contact.

## 4. First Aid Measures

### General First Aid

Seek medical advice if any symptoms arise apparently due to contact with this product.

### Skin contact

After contact with skin, wash with plenty of water or soap and water. If irritation persists, or there is any sign of tissue damage, seek medical advice. Remove contaminated clothing and wash before re-use.

### Eye contact

In case of contact with eyes rinse immediately with plenty of water for at least 15 minutes. Seek medical advice.

### Inhalation

If symptoms due to inhalation are observed, remove person to fresh air. If symptoms persist, seek medical advice.

### Ingestion

If swallowed, rinse mouth with plenty of water and give water to drink. Do not induce vomiting. Seek medical advice.

## 5. Fire-fighting measures

### General fire-fighting

This product is not considered a fire hazard

### Extinguishing media

Waterspray, foam, dry chemical, CO<sub>2</sub>.

### Special exposure hazards

May decompose if involved in a fire, releasing irritant/toxic fumes.

### Protective Equipment

Under fire conditions wear full protective clothing and self contained breathing apparatus

## 6. Accidental Release measures

### Personal protection

Contact with skin and eyes should be avoided. Wear impervious gloves and safety glasses or goggles.

### Environmental protection

It is not anticipated that this product poses any significant environmental hazards. However, as a matter of good practice, prevent entry of liquid into sewers and water courses

### Disposal

Absorb on sand or earth and place in container for safe disposal. Containers should be sealed and labelled. Flush away any traces which cannot be recovered by other means with copious amounts of water, and detergent if available. Remove container of waste material to disposal site.

## 7. Handling and storage

### Handling

Follow proper standards of industrial hygiene. Avoid contact with skin and eyes,

### Storage

Container should be kept sealed and stored in cool dry conditions  
Avoid temperatures above 40°C and below 0°C.

## 8. Exposure controls/personal protection

### Exposure Guidelines

No exposure guidelines have been established for this product.

### **Exposure controls**

Engineering measures, such as the provision of local exhaust ventilation or containment, should always be taken before personal protection equipment is necessary. Monitoring should be provided to ensure that exposure levels are kept below specified level - see above. For advice and guidance on protective equipment see the PEE regulations 1992 and the booklet HS(g)53 "RPE: A Practical Guide for users". Non-UK customers should contact their national competent authority for local advice.

### **Personal protection**

#### **Respiratory protection**

In the event of inadequate ventilation : wear suitable respirator conforming to EN405 FFABE1P2SL standard.

#### **Hand protection**

Liquid resistant gloves are recommended to minimise skin contact. Eye protection

Wear suitable eye protection such as goggles conforming to EN 166/5.

#### **Skin protection**

Work overalls. Limited splash protection coveralls conforming to EN 340 complex design Cat.3, Type 5 & 6. Wash hands and face thoroughly with mild soap before eating and drinking.

#### **Environmental exposure controls:**

This product should be used in accordance with national and international regulations and following the principles of BAT (best Available Technique). See also section 16.

## **9. Physical and chemical properties**

Physical form	Low viscosity Liquid
Colour	Yellow
Odour	Feint
Ph	7-10
Boiling point/boiling range	90-100°C
Melting point/melting range	not applicable
Flash point	not applicable
Flammability	not applicable
Autoflammability	not applicable
Explosive properties	none known
Oxidizing properties	none known
Vapour pressure	not known
Relative density	1g/cm <sup>3</sup>
Water solubility	miscible
Fat solubility	not known
Partition coefficient(n-octanol/water)	not known

## **10. Stability and reactivity**

### **Stability of substance**

Stable under normal conditions.

### **Conditions to avoid**

Avoid temperatures above 40°C and below 0°C

### **Materials to avoid**

Strong reducing agents.

Oxidizing agents such as chlorates, bromates and nitrates

### **Hazardous decomposition products**

The substances arising from the thermal decomposition of this product cannot be accurately predicted. Any fumes are potentially irritant/toxic and suitable protection should be worn.

## **11. Toxicological Information**

### **General toxicology**

This information has been determined by consideration of the toxicological data for the components and for analogous products.

### **Skin contact**

May cause slight irritation

Acute dermal toxicity : no data available.

### **Eye contact**

May cause slight irritation

Not classified by the conventional method

### **Inhalation**

No data available

### **Ingestion**

No data available

## **12. Ecological information**

### **General ecological information**

The contamination of rivers and soil should be avoided.

### **Mobility**

The pigment in this dispersion is virtually insoluble in water. It will be largely removed from waste water in biological effluent treatment plants by filtration and absorption. It will accumulate in the resulting sludge, which should be treated accordingly.

### **Persistence**

No data available

### **Ecotoxicity**

No data available

Water pollution class (WGK) Class 2 (contaminating)  
(VwVwS group classification)

WGK = classification in accordance with German Water Resources Act.

**AOX :**

None

**Heavy water contact**

This product does not contain heavy metals as part of its structure. Any present will be in trace quantities in line with the ETAD limits for heavy metals in dyestuffs.

**Ecological information on ingredients**

Yellow ink: Acute toxicity to fish, Limit test LC<sub>50</sub>:>100 mg/L  
Activated Sludge Respiration Inhibition: EC<sub>50</sub>:> 1000 mg/L

**13. Disposal considerations**

**Product disposal**

Removed material and / or unwanted product should be disposed of in accordance with local regulations.

**Disposal of unclean containers**

Consider local reuse or recycling. If this is not possible, dispose of as for product.

**14. Transport information**

This product is not classified as dangerous for transport.

Keep separated from foodstuffs.

UN No -  
CDG-CPL classification -  
IMDG-Code -  
ADR/RID -  
ICAO/IATA -

**15. Regulatory information**

Label for supply

Irritant/Harmful



**Risk phrases**

R48/22 harmful: danger of serious damage to health by prolonged exposure if swallowed.

**Safety phrases**

S23 Do not breathe vapour/spray

S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S36/37/39 Wear suitable protective clothing, gloves and eye / face protection.

**Regulatory references, EC**

This preparation is classified according to the dangerous preparations directive 99/45/EC and its Adaptations.

S60 Material and container must be disposed of as hazardous waste

**Regulatory references, UK**

This product is classified according to the Chemicals (Hazard Information AND Packaging for Supply) Regulations 2002 (CHIP3)

**16. Other information**

**Other information**

This safety data sheet has been prepared in accordance with the requirements of the data sheet directive 91/155/EEC and its Amendments.

**Full text of R and S phrases appearing in this Safety Data Sheet.**

R36 Irritating to eyes.

R48/22 Harmful.: danger of serious damage to health by prolonged exposure if swallowed.

R53 May cause long term adverse effects in the aquatic environment.

S23 Do not breathe vapour/spray

S60 Material and container must be disposed of as hazardous waste

S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S36/37/39 Wear suitable protective clothing, gloves and eye/face protection.

**Environmental Legislation**

Environmental Protection Act 1990

Water Resources Act 1991

Special Waste Regulations 1996

Integrated Pollution Prevention and Control, 96/61/EEC

Hazardous Waste Directive, 91/689/EEC.

*This product should be stored, handled and used in accordance with good industrial hygiene practices and in conformity with legal regulation.*

*The information contained herein is based on the present state of our knowledge and is intended to describe our products from the point of view of safety requirements. It should not therefore be construed as guaranteeing specific properties.*

HMIS Ratings Health / 2 Flammability / 0 Reactivity / 0 Protective Equipment / 0

**End of data Sheet**