

Version 2.1

Revision Date 12/10/2014 Ref. 130000128531

This SDS adheres to the standards and regulatory requirements of the United States and may not meet the regulatory requirements in other countries.

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

GENUINE DTG MAGENTA PIGMENT INK Product name

MSDS Number 130000128531

Printing Ink Product Use

: Colman & Company, Inc Manufacturer/ 5409 S West Shore Blvd Distributor

Tampa FL 33611

Product Information 1-800-891-1094

1-800-441-3637 (outside the U.S. 1-302-774-1139) Medical Emergency

Medical Emergency : Transport Emergency : CHEMTREC: +1-800-424-9300 (outside the U.S. +1-703-527-3887)

SECTION 2. HAZARDS IDENTIFICATION

Potential Health Effects

May cause skin irritation. Discomfort, itching, redness, or swelling. Skin

Eyes Causes eye irritation. Pain, tearing, swelling, redness, or temporary visual

impairment.

Ingestion : Ingestion may cause gastrointestinal irritation, nausea, vomiting and

diarrhoea.

Repeated exposure : Adverse effects from repeated exposure may include:, Kidney effects

Adverse effects from repeated ingestion may include:, Kidney effects,

Bladder stones

Target Organ : Kidney

Carcinogenicity

None of the components present in this material at concentrations equal to or greater than 0.1% are listed by IARC, NTP, or OSHA, as a carcinogen.

Ethane-1,2-diol : This material has been classified as a probable human carcinogen.

Material Safety Data Sheet



GENUINE DTG MAGENTA PIGMENT INK

Version 2.1

Revision Date 12/10/2014 Ref. 130000128531

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

| Component | CAS-No. | Concentration |
|-------------------------------------|----------|---------------|
| Ethane-1,2-diol | 107-21-1 | <10 % |
| Alkyl ether | | <10 % |
| Cyclic amide | | <10 % |
| 2-(2-(2-Butoxyethoxy)ethoxy)ethanol | 143-22-6 | <=10 % |
| Non regulated ingredients | | >60% |

Any component not specifically identified is considered a trade secret. Properties and potential hazards of any trade secret component are included in this safety data sheet.

SECTION 4. FIRST AID MEASURES

Skin contact : Wash off immediately with plenty of water. Wash contaminated clothing

before re-use. Get medical attention if irritation develops and persists.

Eye contact : Immediately flush eye(s) with plenty of water. Seek medical advice.

Inhalation : If inhaled, remove to fresh air. If breathing is difficult, give oxygen. If not

breathing, give artificial respiration. Get medical attention.

Ingestion : Is not considered a potential route of exposure. If swallowed Do NOT induce

vomiting. Call a physician or poison control centre immediately.



Version 2.1

Revision Date 12/10/2014 Ref. 130000128531

SECTION 5. FIREFIGHTING MEASURES

Flammable Properties

Flash point : 93 °C (199 °F)

Ignition temperature : 401 °C (754 °F)

Lower explosion limit/ lower

flammability limit

: 3.2 vol%

Upper explosion limit/ upper

flammability limit

: 15.3 vol%

Fire and Explosion Hazard : Hazardous decomposition products formed under fire conditions. (see also

section 10) Avoid breathing decomposition products.

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and

the surrounding environment.

Water spray, Dry chemical, Carbon dioxide (CO2)

Firefighting Instructions : Exposure to decomposition products may be a hazard to health. Wear self-

contained breathing apparatus for firefighting if necessary.

Evacuate personnel to safe areas. Stop spill/release if it can be done with minimal risk. Do not allow run-off from fire fighting to enter drains or water

courses.

SECTION 6. ACCIDENTAL RELEASE MEASURES

NOTE: Review FIRE FIGHTING MEASURES and HANDLING (PERSONNEL) sections before proceeding with clean-up. Use appropriate PERSONAL PROTECTIVE EQUIPMENT during clean-up.

Safeguards (Personnel) : Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. Wear

suitable protective equipment.

Spill Cleanup : Contain spill. Soak up with inert absorbent material. Collect and contain

contaminated absorbent and dike material for disposal. Keep in suitable, closed containers for disposal. Ventilate the area. Clean contaminated



Version 2.1

Revision Date 12/10/2014 Ref. 130000128531

surface thoroughly.

Accidental Release Measures : Prevent further leakage or spillage if safe to do so. Prevent product from

entering drains. Clean contaminated floors and objects thoroughly while

observing environmental regulations.

Dispose of in accordance with local regulations.

SECTION 7. HANDLING AND STORAGE

Handling (Personnel) : Avoid breathing vapours or mist. Keep away from heat and flame. Do not use

in areas without adequate ventilation.

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes and clothing. Contaminated work clothing should not be allowed out of the workplace. Remove contaminated clothing and protective equipment before entering eating areas. Remove and wash

contaminated clothing before re-use.

Handling (Physical Aspects) : Keep away from heat and sources of ignition. Avoid formation of aerosol.

Storage : Store at room temperature in the original container. Keep away from sources

of ignition - No smoking. Do not store or consume food, drink or tobacco in areas where they may become contaminated with this material. Keep container closed when not in use. Do not reuse empty container.

Stable under normal conditions.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls : Local exhaust or a laboratory hood should be used when handling the

materials. Maintain air concentrations below occupational exposure

standards.

Personal protective equipment

Respiratory protection : Provide adequate ventilation. No personal respiratory protective equipment

normally required. Where there is potential for airborne exposures in excess of applicable limits, wear approved respiratory protection with dust/mist cartridge. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Consult the respirator manufacturer to determine the appropriate type of equipment for a given application. Observe respirator use limitations specified by the manufacturer.



Version 2.1

Revision Date 12/10/2014 Ref. 130000128531

Hand protection : Material: Impervious gloves

Additional protection: Gloves must be inspected prior to use., Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough., The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other., The exact break through time can be obtained from the protective glove producer and this has to be observed., Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger

of cuts, abrasion, and the contact time.

Eye protection : Wear safety glasses with side shields.

Skin and body protection : Choose body protection in relation to its type, to the concentration and

amount of dangerous substances, and to the specific work-place.

Lightweight protective clothing

Safety shoes

Exposure Guidelines
Exposure Limit Values

Ethane-1,2-diol

TLV (ACGIH) 100 mg/m3 TLV-C Aerosol.

AEL * 10 mg/m3 8 & 12 hr. TWA Particulate.

AEL * 50 ppm 8 & 12 hr. TWA Vapor.

Alkyl ether

AEL * 10 mg/m3 8 & 12 hr. TWA Aerosol.

AEL * 100 ppm 8 & 12 hr. TWA Vapor.

Cyclic amide

AEL * 5 ppm 8 & 12 hr. TWA

Material Safety Data Sheet



GENUINE DTG MAGENTA PIGMENT INK

Version 2.1

Revision Date 12/10/2014 Ref. 130000128531

* AEL is Acceptable Exposure Limit. Where governmentally imposed occupational exposure limits which are lower than the AEL are in effect, such limits shall take precedence.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Form : liquid

Color : no data available
Odor : not significant
pH : 7.0 - 9.0
Freezing point : -13 °C (9 °F)
Boiling point : 100 °C (212 °F)
Vapour Pressure : 0.5 hPa

Specific gravity : 1.05
Water solubility : soluble

Evaporation rate : Slower than Ether

SECTION 10. STABILITY AND REACTIVITY

Conditions to avoid : None reasonably foreseeable.

Incompatibility : None reasonably foreseeable.

Hazardous decomposition

products

Hazardous reactions : None reasonably foreseeable.

SECTION 11. TOXICOLOGICAL INFORMATION

Ethane-1,2-diol

Dermal LD50 : > 3,500 mg/kg, Mouse

: no data available:

Oral LD50 : 1,650 mg/kg , Cat

Inhalation : no data available

Skin irritation : No skin irritation, Rabbit

Eye irritation : No eye irritation, Rabbit



Version 2.1

Revision Date 12/10/2014 Ref. 130000128531

Skin sensitization : Does not cause skin sensitisation., human

Repeated dose toxicity : Oral

Rat

Target Organs: Kidney

Kidney damage

Carcinogenicity : Not classifiable as a human carcinogen.

Animal testing did not show any carcinogenic effects.

Mutagenicity : Animal testing did not show any mutagenic effects.

Tests on bacterial or mammalian cell cultures did not show mutagenic

effects.

Reproductive toxicity : No toxicity to reproduction

No effects on or via lactation

Animal testing showed no reproductive toxicity.

Teratogenicity : Evidence suggests the substance is not a developmental toxin in

animals.

Alkyl ether

Dermal LD50 : 13,300 mg/kg , Rabbit

Oral LD50 : 20,760 mg/kg , Rat

Inhalation 4 h LC50 : > 48.1 mg/l, Rat

Inhalation 4 h Acute toxicity estimate

: > 5 mg/l , Rat

Skin irritation : slight irritation, Rabbit

Eye irritation : slight irritation, Rabbit

Skin sensitization : Did not cause sensitisation on laboratory animals., Guinea pig

Patch test on human volunteers did not demonstrate sensitisation

properties., human

Repeated dose toxicity : Oral

multiple species

Oxylate crystal deposition



Version 2.1

Revision Date 12/10/2014 Ref. 130000128531

Carcinogenicity : Not classifiable as a human carcinogen.

Mutagenicity : Tests on bacterial or mammalian cell cultures did not show mutagenic

effects.

Animal testing did not show any mutagenic effects.

Reproductive toxicity : No toxicity to reproduction

Animal testing showed no reproductive toxicity.

Teratogenicity : Animal testing showed effects on embryo-fetal development at levels

equal to or above those causing maternal toxicity.

Cyclic amide

Dermal LD50 : > 2,000 mg/kg, Rat

Oral LD50 : 8,000 mg/kg , Rat

Inhalation : Rat

An LC50/inhalation/4h/rat could not be determined because no

mortality of rats was observed at the maximum achievable

concentration.

Skin irritation : No skin irritation, Rabbit

Eye irritation : Eye irritation, Rabbit

Skin sensitization : Does not cause skin sensitisation., Mouse

Information given is based on data obtained from similar substances.

Repeated dose toxicity : Oral

Rat

Kidney effects

Mutagenicity : Animal testing did not show any mutagenic effects.

Tests on bacterial or mammalian cell cultures did not show mutagenic

effects.

Reproductive toxicity : No toxicity to reproduction

Animal testing showed no reproductive toxicity.

Teratogenicity : Animal testing showed effects on embryo-fetal development at levels

equal to or above those causing maternal toxicity.

2-(2-(2-Butoxyethoxy)ethoxy)ethanol



Version 2.1

Revision Date 12/10/2014 Ref. 130000128531

Dermal LD50 : 3,540 mg/kg , Rabbit

Oral LD50 : 5,170 mg/kg , Rat

Skin irritation : No skin irritation, Rabbit

Eye irritation : Risk of serious damage to eyes., Rabbit

Information given is based on data obtained from similar substances.

Skin sensitization : Does not cause skin sensitisation., Guinea pig

Information given is based on data obtained from similar substances.

Does not cause respiratory sensitisation., Guinea pig

Information given is based on data obtained from similar substances.

Repeated dose toxicity : Oral

Rat

No toxicologically significant effects were found., Information given is

based on data obtained from similar substances.

Carcinogenicity : Not classifiable as a human carcinogen.

Animal testing did not show any carcinogenic effects.

Information given is based on data obtained from similar substances.

Mutagenicity : Tests on bacterial or mammalian cell cultures did not show mutagenic

effects.

Animal testing did not show any mutagenic effects.

Information given is based on data obtained from similar substances.

Reproductive toxicity : No toxicity to reproduction

Animal testing showed no reproductive toxicity.

Information given is based on data obtained from similar substances.

Teratogenicity : Animal testing showed no developmental toxicity.

SECTION 12. ECOLOGICAL INFORMATION

Aquatic Toxicity Ethane-1,2-diol

96 h LC50 : Pimephales promelas (fathead minnow) 72,860 mg/l



Version 2.1

Revision Date 12/10/2014 Ref. 130000128531

96 h ErC50 : Pseudokirchneriella subcapitata (green algae) 6,500 mg/l

48 h EC50 : Daphnia magna (Water flea) > 100 mg/l OECD Test Guideline 202

Alkyl ether

96 h LC50 : Pimephales promelas (fathead minnow) 75,200 mg/l

48 h LC50 : Leuciscus idus (Golden orfe) > 10,000 mg/l

24 h EC50 : Daphnia magna (Water flea) > 10,000 mg/l

Cyclic amide

72 h ErC50 : Desmodesmus subspicatus (green algae) > 500 mg/l

48 h EC50 : Daphnia magna (Water flea) > 500 mg/l Directive 67/548/EEC, Annex

V, C.2.

2-(2-(2-Butoxyethoxy)ethoxy)ethanol

96 h LC50 : Leuciscus idus (Golden orfe) 2,200 mg/l DIN 38412

72 h ErC50 : Desmodesmus subspicatus (green algae) > 612 mg/l

48 h EC50 : Daphnia magna (Water flea) 2,210 mg/l

21 d : NOEC Danio rerio (zebra fish) > 174.6 mg/l OECD Test Guideline

204

Information given is based on data obtained from similar substances.

21 d : NOEC Daphnia magna (Water flea) > 174.6 mg/l OECD Test

Guideline 211

Information given is based on data obtained from similar substances.

Environmental Fate

Ethane-1,2-diol

Biodegradability : Readily biodegradable. 90 - 100 % OECD Test Guideline 301

Bioaccumulation : Bioaccumulation is unlikely.

Alkyl ether

Biodegradability : 90 %

Readily biodegradable.

Bioaccumulation : Bioconcentration factor (BCF) : 10 - 180



Version 2.1

Revision Date 12/10/2014 Ref. 130000128531

Bioaccumulation is unlikely.

Cyclic amide

Biodegradability : Biodegradable

Readily biodegradable.

Bioaccumulation : Bioaccumulation is unlikely.

2-(2-(2-Butoxyethoxy)ethoxy)ethanol

Biodegradability : rapidly biodegradable OECD Test Guideline 301D

Readily biodegradable.

SECTION 13. DISPOSAL CONSIDERATIONS

Waste Disposal : If recycling is not practicable, dispose of in compliance with local regulations.

Never place unused product down any indoor or out door drain.

Container disposal: : Do not reuse empty container.

Contaminated/not cleaned containers should be treated/handled like product

waste.

Dispose of container properly.

Refer to applicable Local, State/Provincial, and Federal Regulations, as well

as industry Standards.

SECTION 14. TRANSPORT INFORMATION

Not classified as dangerous in the meaning of transport regulations.

SECTION 15. REGULATORY INFORMATION

TSCA : On the inventory, or in compliance with the inventory

SARA 313 Regulated : Ethane-1,2-diol, 2-(2-(2-Butoxyethoxy)ethoxy)ethanol, 2-(2-

Version 2.1

Revision Date 12/10/2014 Ref. 130000128531

Chemical(s) Butoxyethoxy)ethanol

CERCLA Reportable : 83 lbs

Quantity Based on the percentage composition of this chemical in the product.:

2-(2-(2-Butoxyethoxy)ethoxy)ethanol

: WARNING! This product contains a chemical or chemicals known to the State California Prop. 65

of California to cause cancer.

PA Right to Know

: Substances on the Pennsylvania Hazardous Substances List present at Regulated Chemical(s)

a concentration of 1% or more (0.01% for Special Hazardous Substances): Ethane-1,2-diol, Alkyl ether, Cyclic amide, 2-(2-(2-

Butoxyethoxy)ethoxy)ethanol

NJ Right to Know Regulated Chemical(s) Substances on the New Jersey Workplace Hazardous Substance List

present at a concentration of 1% or more (0.1% for substances

identified as carcinogens, mutagens or teratogens): Ethane-1,2-diol, 2-

(2-(2-Butoxyethoxy)ethoxy)ethanol

SECTION 16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Significant change from previous version is denoted with a double bar.