

Image Armor LIGHT Shirt Formula

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012) Date of issue: 01/23/2014 Version: 1.0

SECTION 1: Identification of the subs	stance/mixture and of the company/undertaking
1.1. Product identifier	
Product form	: Mixture
Trade name	: Image Armor LIGHT Shirt Formula
Product code	: IAL001QT / IAL001G / IAL055G / IAL275G
1.2. Relevant identified uses of the subst	ance or mixture and uses advised against
Use of the substance/mixture	: Pretreatment for Direct to Garment Printing
1.3. Details of the supplier of the safety d	lata sheet
Manufacturer:	
Image Armor, LLC 220 First Dr. NE New Philadelphia, OH 44663 - USA Tel: +1-877-673-4377 Email: info@imagearmorpt.com	
1.4. Emergency telephone number	
Emergency number	: Manufacturer:
	+1-877-673-4377 9:00 am – 5:00pm Monday – Friday EST-Eastern Standard Time
	For Chemical Emergency, Spill, Leak, Fire, Exposure or Accident Call CHEMTREC Day or Night Within USA and Canada: +1-800-424-9300 Outside USA and Canada: +1-703-527-3887 (collect calls accepted)
SECTION 2: Hazards identification	
2.1. Classification of the substance or mi	ixture
GHS-US classification Not classified	
2.2. Label elements	
GHS-US labelling	
No labelling applicable	
2.3. Other hazards	
No additional information available	
2.4. Unknown acute toxicity (GHS-US)	
No data available	
SECTION 3: Composition/information	n on ingredients
3.1. Substance	
Not applicable	
Full text of H-phrases: see section 16	
3.2. Mixture	
This product claimed that does not contain any su paragraph (d) of §1910.1200	ubstance presented in above cut-off concentration limits that classified as hazardous in accordance with
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Assure fresh air breathing. Allow the victim to rest. In all cases of doubt, or if victim feels unwell seek medical attention.

Safety Data Sheet according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

First sides a sum a star such such start	
First-aid measures after eye contact :	Do not rub the skin and eyes after direct contact with the product. Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if pain, blinking or redness persist.
First-aid measures after ingestion :	Rinse mouth. Do not induce vomiting. Give water to drink if victim completely conscious/alert. Obtain emergency medical attention.
4.2. Most important symptoms and effects	both acute and delayed
Symptoms/injuries after inhalation :	In the event of insufficient ventilation: In case of repeated or prolonged exposure : Inhalation of airborne droplets or aerosols may cause irritation of the respiratory tract. Nausea.
Symptoms/injuries after skin contact :	Frequent or prolonged contact with skin may cause dermal irritation, redness or dry skin.
Symptoms/injuries after eye contact :	Producing fumes/mist. In fine dispersion/spraying/misting: Causes eye irritation. Effects may include discomfort or pain and redness.
Symptoms/injuries after ingestion :	Unlikely route of exposure.
4.3. Indication of any immediate medical at	tention and special treatment needed
Treat symptomatically.	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
	Use fire-extinguishing media appropriate for surrounding materials. Water spray. Water fog.
5.2. Special hazards arising from the subst	ance or mixture
No additional information available	
5.3. Advice for firefighters	
Firefighting instructions :	Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment. Evacuate personnel to a safe area.
Protective equipment for firefighters :	Do not enter fire area without proper protective equipment, including respiratory protection.
Other information :	Hazardous decomposition products may be released during prolonged heating like smokes, carbon monoxide and dioxide, nitrogen oxides (NOx). Sulfur oxides. Toxic metal oxide smoke.
SECTION 6: Accidental release measu	res
6.1. Personal precautions, protective equip	oment and emergency procedures
	Provide adequate ventilation to minimize dust and/or vapour concentrations. Avoid breathing dust, mist or spray. Avoid generation of dust. Stop leak if safe to do so.
	Provide adequate ventilation to minimize dust and/or vapour concentrations. Avoid breathing
General measures :	Provide adequate ventilation to minimize dust and/or vapour concentrations. Avoid breathing
General measures : 6.1.1. For non-emergency personnel	Provide adequate ventilation to minimize dust and/or vapour concentrations. Avoid breathing dust, mist or spray. Avoid generation of dust. Stop leak if safe to do so. Wear suitable protective clothing gloves, and eye/face protection. For further information refer to
General measures : 6.1.1. For non-emergency personnel Protective equipment :	 Provide adequate ventilation to minimize dust and/or vapour concentrations. Avoid breathing dust, mist or spray. Avoid generation of dust. Stop leak if safe to do so. Wear suitable protective clothing gloves, and eye/face protection. For further information refer to section 8 : Exposure-controls/personal protection.
General measures : 6.1.1. For non-emergency personnel Protective equipment : Emergency procedures :	 Provide adequate ventilation to minimize dust and/or vapour concentrations. Avoid breathing dust, mist or spray. Avoid generation of dust. Stop leak if safe to do so. Wear suitable protective clothing gloves, and eye/face protection. For further information refer to section 8 : Exposure-controls/personal protection.
General measures : 6.1.1. For non-emergency personnel Protective equipment : Emergency procedures : 6.1.2. For emergency responders Protective equipment :	 Provide adequate ventilation to minimize dust and/or vapour concentrations. Avoid breathing dust, mist or spray. Avoid generation of dust. Stop leak if safe to do so. Wear suitable protective clothing gloves, and eye/face protection. For further information refer to section 8 : Exposure-controls/personal protection. Evacuate unnecessary personnel.
General measures : 6.1.1. For non-emergency personnel Protective equipment : Emergency procedures : 6.1.2. For emergency responders Protective equipment :	Provide adequate ventilation to minimize dust and/or vapour concentrations. Avoid breathing dust, mist or spray. Avoid generation of dust. Stop leak if safe to do so. Wear suitable protective clothing gloves, and eye/face protection. For further information refer to section 8 : Exposure-controls/personal protection. Evacuate unnecessary personnel. Equip cleanup crew with proper protection.
General measures : 6.1.1. For non-emergency personnel Protective equipment : Emergency procedures : 6.1.2. For emergency responders Protective equipment : Emergency procedures : emergency responders : Protective equipment : Emergency procedures :	Provide adequate ventilation to minimize dust and/or vapour concentrations. Avoid breathing dust, mist or spray. Avoid generation of dust. Stop leak if safe to do so. Wear suitable protective clothing gloves, and eye/face protection. For further information refer to section 8 : Exposure-controls/personal protection. Evacuate unnecessary personnel. Equip cleanup crew with proper protection. Ventilate area.
General measures : 6.1.1. For non-emergency personnel Protective equipment : Emergency procedures : 6.1.2. For emergency responders Protective equipment : Emergency procedures : 6.1.2. For emergency responders Protective equipment : Emergency procedures : 6.2. Environmental precautions Prevent entry to sewers and public waters. Notify and the second s	Provide adequate ventilation to minimize dust and/or vapour concentrations. Avoid breathing dust, mist or spray. Avoid generation of dust. Stop leak if safe to do so. Wear suitable protective clothing gloves, and eye/face protection. For further information refer to section 8 : Exposure-controls/personal protection. Evacuate unnecessary personnel. Equip cleanup crew with proper protection. Ventilate area.
General measures : 6.1.1. For non-emergency personnel Protective equipment : Emergency procedures : 6.1.2. For emergency responders Protective equipment : Emergency procedures : 6.1.2. For emergency responders Protective equipment : Emergency procedures : 6.2. Environmental precautions Prevent entry to sewers and public waters. Notify and 6.3. Methods and material for containment	Provide adequate ventilation to minimize dust and/or vapour concentrations. Avoid breathing dust, mist or spray. Avoid generation of dust. Stop leak if safe to do so. Wear suitable protective clothing gloves, and eye/face protection. For further information refer to section 8 : Exposure-controls/personal protection. Evacuate unnecessary personnel. Equip cleanup crew with proper protection. Ventilate area. uthorities if liquid enters sewers or public waters. and cleaning up
General measures : 6.1.1. For non-emergency personnel Protective equipment : Emergency procedures : 6.1.2. For emergency responders Protective equipment : Emergency procedures : 6.1.2. For emergency responders Protective equipment : Emergency procedures : 6.2. Environmental precautions Prevent entry to sewers and public waters. Notify and 6.3. Methods and material for containment	Provide adequate ventilation to minimize dust and/or vapour concentrations. Avoid breathing dust, mist or spray. Avoid generation of dust. Stop leak if safe to do so. Wear suitable protective clothing gloves, and eye/face protection. For further information refer to section 8 : Exposure-controls/personal protection. Evacuate unnecessary personnel. Equip cleanup crew with proper protection. Ventilate area.
General measures : 6.1.1. For non-emergency personnel Protective equipment : Emergency procedures : 6.1.2. For emergency responders Protective equipment : Emergency procedures : 6.1.2. For emergency responders Protective equipment : Emergency procedures : 6.2. Environmental precautions Prevent entry to sewers and public waters. Notify and 6.3. Methods and material for containment	Provide adequate ventilation to minimize dust and/or vapour concentrations. Avoid breathing dust, mist or spray. Avoid generation of dust. Stop leak if safe to do so. Wear suitable protective clothing gloves, and eye/face protection. For further information refer to section 8 : Exposure-controls/personal protection. Evacuate unnecessary personnel. Equip cleanup crew with proper protection. Ventilate area. uthorities if liquid enters sewers or public waters. and cleaning up Contain and/or absorb spill with inert material (sand, vermiculite or other appropriate material), then place in suitable container. Residue may be washed down with water. Ensure all national/local regulations are observed. Dispose of contents/container to comply with applicable
General measures : 6.1.1. For non-emergency personnel Protective equipment : Emergency procedures : 6.1.2. For emergency responders Protective equipment : Emergency procedures : 6.1.2. For emergency responders Protective equipment : Emergency procedures : 6.2. Environmental precautions Prevent entry to sewers and public waters. Notify and 6.3. Methods and material for containment Methods for cleaning up :	Provide adequate ventilation to minimize dust and/or vapour concentrations. Avoid breathing dust, mist or spray. Avoid generation of dust. Stop leak if safe to do so. Wear suitable protective clothing gloves, and eye/face protection. For further information refer to section 8 : Exposure-controls/personal protection. Evacuate unnecessary personnel. Equip cleanup crew with proper protection. Ventilate area. uthorities if liquid enters sewers or public waters. and cleaning up Contain and/or absorb spill with inert material (sand, vermiculite or other appropriate material), then place in suitable container. Residue may be washed down with water. Ensure all national/local regulations are observed. Dispose of contents/container to comply with applicable local, national and international regulations.
General measures : 6.1.1. For non-emergency personnel Protective equipment : Emergency procedures : 6.1.2. For emergency responders Protective equipment : Emergency procedures : 6.2. Environmental precautions Prevent entry to sewers and public waters. Notify and 6.3. Methods and material for containment Methods for cleaning up :	Provide adequate ventilation to minimize dust and/or vapour concentrations. Avoid breathing dust, mist or spray. Avoid generation of dust. Stop leak if safe to do so. Wear suitable protective clothing gloves, and eye/face protection. For further information refer to section 8 : Exposure-controls/personal protection. Evacuate unnecessary personnel. Equip cleanup crew with proper protection. Ventilate area. uthorities if liquid enters sewers or public waters. and cleaning up Contain and/or absorb spill with inert material (sand, vermiculite or other appropriate material), then place in suitable container. Residue may be washed down with water. Ensure all national/local regulations are observed. Dispose of contents/container to comply with applicable local, national and international regulations.
General measures : 6.1.1. For non-emergency personnel Protective equipment : Emergency procedures : 6.1.2. For emergency responders Protective equipment : Emergency procedures : 6.1.2. For emergency responders Protective equipment : Emergency procedures : 6.2. Environmental precautions Prevent entry to sewers and public waters. Notify at 6.3. Methods and material for containment Methods for cleaning up : 6.4. Reference to other sections See Heading 8. Exposure controls and personal process	Provide adequate ventilation to minimize dust and/or vapour concentrations. Avoid breathing dust, mist or spray. Avoid generation of dust. Stop leak if safe to do so. Wear suitable protective clothing gloves, and eye/face protection. For further information refer to section 8 : Exposure-controls/personal protection. Evacuate unnecessary personnel. Equip cleanup crew with proper protection. Ventilate area. uthorities if liquid enters sewers or public waters. and cleaning up Contain and/or absorb spill with inert material (sand, vermiculite or other appropriate material), then place in suitable container. Residue may be washed down with water. Ensure all national/local regulations are observed. Dispose of contents/container to comply with applicable local, national and international regulations.

Image Armor LIGHT Shirt Formula Safety Data Sheet

Hygiene measures	: Handle in accordance with good industrial hygiene and safety practices. Do not eat, drink or smoke when using this product. Wash exposed skin thoroughly with soap and water after handling.		
7.2. Conditions for safe storage, in			
Technical measures	: A washing facility/water for eye and skin cleaning purposes should be present. Provide adequate ventilation to minimize vapor/mist concentrations.		
Storage conditions	: Keep out of reach of children. Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Store at room temperature. Store tightly closed in a dry, cool and well-ventilated place.		
Incompatible materials	: Strong acids, bases. Strong oxidizing agents.		
7.3. Specific end use(s)			
No additional information available			
SECTION 8: Exposure controls/	personal protection		
8.1. Control parameters			
No additional information available			
3.2. Exposure controls			
Appropriate engineering controls	: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation.		
Personal protective equipment	: Avoid all unnecessary exposure. Use personal protective equipment as required. The following pictograms represent the minimum requirements for personal protective equipment. Gloves. Protective goggles. Protective clothing.		
Hand protection	: Wear protective gloves.		
Eye protection	Wear chemical splash goggle. Eye protection, including both chemical splash goggles and face shield, must be worn when possibility exists for eye contact due to spraying liquid or airborne particles.		
Skin and body protection	: Long sleeved protective clothing.		
Respiratory protection : If user operations generate dust or fumes, . In fine dispersion/spraying/misting: The respiratory protection is not anticipated under normal use conditions and with a ventilation. An approved organic vapour respirator/supplied air or self-contained b apparatus must be used when vapour concentration exceeds applicable exposure limits.			
Environmental exposure controls	: Avoid release to the environment.		
Other information	: Do not eat, drink or smoke during use. Avoid all unnecessary exposure.		
SECTION 9: Physical and chem	ical properties		
9.1. Information on basic physical			
Physical state	· Liquid		

J.I. Information	i on basic physical and c	IIC	inical properties
Physical state		:	Liquid
Appearance		:	Milky white.
Colour		:	White.
Odour		:	Odourless.
Odour threshold		:	No data available
рН		:	No data available
Relative evaporation ra	ate (butylacetate=1)	:	No data available
Melting point		:	No data available
Freezing point		:	No data available
Boiling point		:	No data available
Flash point		:	> 93 °C (> 200 F)
Self ignition temperatu	ire	:	No data available
Decomposition temper	rature	:	No data available
Flammability (solid, ga	is)	:	No data available
Vapour pressure		:	No data available

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Solubility	: Water: completely soluble
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECT	SECTION 10: Stability and reactivity				
10.1.	Reactivity				
No addi	tional information available				
10.2.	Chemical stability				
Stable u	under normal conditions of use.				

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Extremely high or low temperatures. Prevent physical damage to package. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose containers to flames, sparks, heat, or other potential ignition sources.

10.5. Incompatible materials

Strong acids, bases. Strong oxidizing agents.

10.6. Hazardous decomposition products

Hazardous decomposition products may be released during prolonged heating like smokes, carbon monoxide and dioxide. nitrogen oxides (NOx) and sulphur oxides. Metal oxides.

SECTION 11: Toxicological information					
11.1.	Information on toxicological effects				
Acute to	oxicity	· Not classified			

01/20/2014	
Symptoms/injuries after skin contact	: Frequent or prolonged contact with skin may cause dermal irritation, redness or dry skin.
Symptoms/injuries after inhalation	: In the event of insufficient ventilation: In case of repeated or prolonged exposure : Inhalation of airborne droplets or aerosols may cause irritation of the respiratory tract. Nausea.
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
	Based on available data, the classification criteria are not met
Aspiration hazard	: Not classified
exposure)	Based on available data, the classification criteria are not met
Specific target organ toxicity (repeated	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
	Based on available data, the classification criteria are not met
Reproductive toxicity	: Not classified
Carainaganiaitu	Based on available data, the classification criteria are not met : Not classified
Germ cell mutagenicity	: Not classified
Respiratory or skin sensitisation	: Not classified
Serious eye damage/irritation	: Not classified
Skin corrosion/irritation	: Not classified
Acute toxicity	: Not classified

	Data Sheet the federal final rule of hazard communication	revised on 2012 (HazCom 2012)
Symptom	s/injuries after eye contact	: Producing fumes/mist. In fine dispersion/spraying/misting: Causes eye irritation. Effects may include discomfort or pain and redness.
Symptom	s/injuries after ingestion	: Unlikely route of exposure.
SECTIO	ON 12: Ecological information	
12.1.	Toxicity	
No additi	onal information available	
12.2.	Persistence and degradability	
Image /	Armor LIGHT Shirt Formula	
Persiste	ence and degradability	Not established.
12.3.	Bioaccumulative potential	
Image /	Armor LIGHT Shirt Formula	
Bioaccu	mulative potential	Not established.
12.4.	Mobility in soil	
No additi	onal information available	
12.5.	Other adverse effects	
Other info	ormation	: Avoid release to the environment.
SECTIO	ON 13: Disposal consideration	S
13.1.	Waste treatment methods	
Waste dis	sposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Ensure all national/local regulations are observed.
Additiona	I information	: Do not re-use empty containers.
Ecology -	waste materials	: Avoid release to the environment.
SECTIO	ON 14: Transport information	
In accord	ance with DOT	

No dangerous good in sense of transport regulations

This product is not hazardous for ground or air transportation.

International Transport Regulations

Regulatory information	UN Number	Proper Shipping Name	Classes	PG*	Label	Additional information
DOT Classification	Not Regulated					
TDG Classification	Not Regulated					
IMDG Class	Not Regulated					
IATA-DGR Class	Not Regulated					

PG*: Package Group

Exemption to the above classification may apply AERG: Not Available

Additional information

Other information

: No supplementary information available.

ADR

No additional information available

Transport by sea No additional information available

Air transport

No additional information available

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

SECTION 15: Regulatory information

15.1. US Federal regulations

No additional information available

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Classification according to Directive 67/548/EEC or 1999/45/EC Not classified

15.2.2. National regulations

Image Armor LIGHT Shirt Formula

Hydrated substance (10034-99-8) is not on TSCA Inventory. The anhydrous form (7487-88-9) is listed on the TSCA inventory

Magnesium sulfate heptahydrate (10034-99-8)

Listed on the AICS (the Australian Inventory of Chemical Substances) Listed on Inventory of Existing Chemical Substances (IECSC) Listed on New Zealand - Inventory of Chemicals (NZIoC)

Listed on Inventory of Chemicals and Chemical Substances (PICCS)

15.3. US State regulations

No additional information available

SECTION 16: Other information

Other information

: None.

SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product