

SAFETY DATA SHEET

**Toner powder (cartridge) for
Pro9541WT**

Oki Data Corporation

SAFETY DATA SHEET

1. Identification of the substance/preparation and of the company/undertaking

Product name : Black Toner powder (cartridge) for Pro9541WT
 (Toner powder name : OKT5K)

Manufacturer : Oki Data Corporation
 3-1, Futaba-cho, Takasaki-shi, GUNMA, 370-8585 JAPAN
 Tel. +81-27-328-6366. Fax +81-27-328-6396

SUPPLIER : Oki Data Americas, Inc.
 8505 Freeport Pkwy, Suite 600 Irving, TX 75063, USA
 Tel. +1-856-235-2600

EMERGENCY TELEPHONE NUMBER: Tel. +1-856-235-2600

2. Hazards identification

GHS Classification

Physical Hazards

Explosives	:	Not classified
Flammable gases	:	Not applicable
Flammable aerosols	:	Not applicable
Oxidizing gases	:	Not applicable
Gases under pressure	:	Not applicable
Flammable liquids	:	Not applicable
Flammable solids	:	Classification not possible
Self-reactive substances and mixtures	:	Classification not possible
Pyrophoric liquids	:	Not applicable
Pyrophoric solids	:	Classification not possible
Self-heating substances and mixtures	:	Classification not possible
Substances and mixtures, which in contact with water, emit flammable gases	:	Classification not possible
Oxidizing liquids	:	Not applicable
Oxidizing solids	:	Classification not possible
Organic peroxides	:	Classification not possible
Corrosive to metals	:	Classification not possible

Health Hazards

Acute toxicity (oral)	:	Not classified
Acute toxicity (dermal)	:	Not classified
Acute toxicity (inhalation: dust, mist)	:	Not classified
Skin corrosion / irritation	:	Not classified
Serious eye damage / eye irritation	:	Not classified
Respiratory sensitizer	:	Classification not possible
Skin sensitizer	:	Not classified
Germ cell mutagenicity	:	Classification not possible
Carcinogenicity	:	Classification not possible
Toxic to reproduction	:	Classification not possible
Specific target organs/systemic toxicity following single exposure	:	Classification not possible
Specific target organs/systemic toxicity following repeated exposure	:	Classification not possible
Aspiration hazard	:	Classification not possible

Environmental Hazards

Hazardous to the aquatic environment (acute)	:	Classification not possible
Hazardous to the aquatic environment (chronic)	:	Classification not possible

In accordance with GHS classification criteria, this product is not classified as hazardous mixture.

SAFETY DATA SHEET

Indication of danger:

Not a hazardous substance or preparation according to EC-directives 67/548/EEC or 99/45/EC and their various amendments and adaptations.

[Potential Health Effects]

Ingestion Effects : Ingestion is not applicable route of entry for intended use.
Inhalation Effects : Minimal respiratory tract irritation may occur with exposure to large amount of toner dust.
Eye Effects : Solid or dusts may cause irritation or scratch the surface of eye.
Skin Effects : Unlikely to cause skin irritation.

[Environmental Hazards]

No particular hazards known.

3. Composition/information on ingredients

[Composition / Information] : Mixture

Ingredient(s):

Chemical Name/ Generic Name	CAS No.	Proportion (%)	OSHA PEL	ACGIH TLV	Other Limits
Styrene acrylate copolymer	Proprietary	80-90	Not applicable	Not applicable	Not available
Wax	Proprietary	5-15	Not applicable	Not applicable	Not available
Carbon black	1333-86-4	3-10	3.5mg/m3	3.5mg/m3	Not available
Silica	7631-86-9	1-3	20mppcf(*), 80(mg/m3)/%SiO2	Not listed	Not available
Titanium dioxide	13463-67-7	0.1-0.9	15 mg/m3	10 mg/m3	Not available

(* million particles/cubic foot)

[Further Information] : No known.

4. First-aid measures

Ingestion : Dilute stomach contents with several glasses of water.
Get medical attention if symptoms persist.
Inhalation : Move person to fresh air immediately. If symptoms occur, consult a physician.
Eye Contact : Immediately flush with large amount of clean water for at least 15 minutes.
If irritation persists, consult a physician.
Skin Contact : Wash affected areas thoroughly with soap and water. If irritation persists, consult a physician.

5. Fire-fighting measures

Extinguishing Media : Water, foam, dry chemical
Special Fire-fighting Procedure : Keep personnel removed from and upwind of fire. Wear respiratory protection.
Cool container with water spray.
Unusual Fire & Explosion Hazards : Toner material, like most organic material in powder form, is capable of creating a dust explosion.

6. Accidental release measures

Spill and Leakage Procedure : Wear personal protective equipment as described in Section 8. Avoid breathing dust.
Minimize the release of particles. Vacuum or sweep the material into a bag or other sealed container. Dispose of waste toner in accordance with local requirements.
Environmental precautions : Do not discharge into drains.

7. Handling and storage

Advise on safe handling and protection against fire : Keep material out of reach of children. Avoid inhalation of dust and contact with eyes. Keep away from excessive heat, sparks, and open flames.
Requirements for storage rooms and advice on compatibility : Keep out of the reach of children. Keep container closed and store at room temperature. Keep away from strong oxidizers.

SAFETY DATA SHEET

8. Exposure controls/personal protection

Occupational Exposure Limits

ACGIH TLV	:	Particulates (Insoluble) Not Otherwise Specified 10mg/m3 (Inhalable Particulate) 3mg/m3 (Respirable Particulate)
OSHA PEL	:	Inert or Nuisance Dust 15mg/m3 (Total dust) 5mg/m3 (Respirable fraction)
Respiratory	:	Dust respiratory mask
Ventilation	:	Good general ventilation should be sufficient under intended use.
Protective Gloves	:	Use leather gloves for hand protection.
Eye Protection	:	Protecting glasses
Other Protective Equipment	:	Not required under intended use.

9. Physical and chemical properties

Appearance and odor	:	Fine powder, black, slight plastic odor.
Density	:	About 1.2g/ cm3
Boiling Point	:	Not applicable
Melting Point	:	Not applicable
Solubility in Water	:	Negligible
Solubility in Other	:	Partially soluble in toluene and THF
Percent Volatile by	:	Not applicable
Flammable Limits	:	Not applicable
Flash Point	:	Not applicable
Log Po/w	:	Not applicable
Explosibility	:	No data available.
Flammability	:	No data available.

10. Stability and reactivity

Stability & Reactivity	:	Stable. Hazardous polymerization will not occur.
Materials to Avoid	:	None
Hazardous	:	Combustion will produce carbon dioxide and, possibly toxic chemicals such as carbon monoxide.
Decomposition products	:	

11. Toxicological information

Acute toxicity (oral)	:	LD50 of this product is >5000mg/kg (rat). *1
Acute toxicity (dermal)	:	Acute dermal toxicity : LD50 > 5000mg/kg (rat). *1
Acute toxicity (inhalation: dust,	:	Acute inhalation toxicity : LC50 > 5.10mg/L (rat). *1
Skin corrosion / irritation	:	Based on the result of skin irritation study, this product is classified as a nonirritant to the dermal tissue of the rabbit. *1
Serious eye damage / eye irritation	:	Based on the result of the eye irritation study, this product is classified as a nonirritant to the ocular tissue of the rabbit. *1
Respiratory sensitizer	:	No test data available.
Skin sensitizer	:	Based on the result of the skin sensitization study in mouse, the skin sensitizing potential of this product was considered negative. *1
Germ cell mutagenicity	:	Based on the result of Ames test (Salmonella typhimurium), this product has negative mutagenicity. *1
Carcinogenicity	:	No data available. In 1996 the IARC reevaluated carbon black as a Group 2B carcinogen (possible human carcinogen). This classification is given to chemicals for which there are inadequate human evidence, but sufficient animal evidence on which to base an opinion of carcinogenicity. The classification is based upon the development of lung tumors in rats receiving chronic inhalation exposures to free carbon black at levels that induce particle overload of the lung. Studies performed in animal models other than rats did not show any association between carbon black and lung tumors. Moreover, a two-year cancer bioassay using a typical toner preparation containing carbon black demonstrated no association between toner exposure and tumor development in rats. IARC has issued a notice that they will publish a monograph that lists titanium dioxide (TiO2) as possibly carcinogenic to humans (Group 2B) by inhalation (based solely on animal data). Human epidemiology studies do not suggest an increased risk of cancer in humans for occupational exposure to titanium dioxide. IARC stated that exposure levels are assumed to be lower in the user industries, with the possible exception of workers who handle large quantities of titanium dioxide.

SAFETY DATA SHEET

		IARC stated that exposure levels are assumed to be lower in the user industries, with the possible exception of workers who handle large quantities of titanium dioxide.
		No significant exposure to titanium dioxide is thought to occur during the use of products in which titanium dioxide is bound to other materials, such as in paints.
		Other ingredients in this product are not classified as any carcinogen. *2
Toxic to reproduction	:	No test data available.
Specific target organs/ systemic toxicity following single exposure	:	No test data available.
Specific target organs/ systemic toxicity following repeated exposure	:	Oral : No test data available. Dermal : No test data available. Inhalation : No test data available. In a study in rats of chronic inhalation exposure to a typical toner, a mild to moderate degree of lung fibrosis was observed in 92% of the rats in the high concentration (16mg/m3) exposure group. And a minimal to mild degree of fibrosis was noted in 22% of the animals in the middle (4mg/ m3) exposure group. But no pulmonary change was reported in the lowest (1mg/ m3) exposure group, the most relevant level to potential human exposures. The quantity of toner exhausted with the normal use of this product is estimated less than 1mg/m3 per day.
Aspiration hazard	:	No test data available.

12. Ecological information

No data available for ecological and wastewater treatment (sewage) systems. Avoid spills and dispose of in accordance with applicable laws and regulations.

Aquatic Environment : According to acute toxicity test with Medaka (*Oryzias latipes*), no toxicological symptom was observed in the control and all concentration levels during exposure (96 hours). *1

13. Disposal considerations

[Waste From This Product]

Waste material may be dumped or incinerated on condition that meets all country, state and local environmental regulations.
Recommendation: consult with the disposal agency and the relevant authorities; cleansing agent is water.

14. Transport information

[International Transport Information]

UN Number : None (ADR/RID, ADN, IMDG, IATA)
Hazards Class : None

15. Regulatory information

Label Information According to the DIRECTIVE 1999/45/EC (EU) : None

Inventories

ENCS (Japan)	:	Yes	
TSCA (USA)	:	Yes	
EINECS / ELINCS (EU)	:	Yes	
AICS (Australia)	:	Yes	
DSL (Canada)	:	Yes	(NDSL : No)
ECL (Korea)	:	Yes	
PICCS (Philippines)	:	Yes	
IECSC (China)	:	Yes	

All ingredients are registered under the industrial Chemicals (Notification and Assessment) Act 1989 , or under the polymer exemption.

All ingredients are exempt, registered or considered polymer under The Australian Inventory of Chemical Substances (AICS) with Directive NIC504735 : not classified.

Please refer to any other national measures that may be relevant.

16. Other information

[SDS STATUS]

Documents list

- *1 In-house data
- *2 • EC-directives 67/548/EEC and 99/45/EC
- IARC Monographs volumes 1-103
- EPA, Proposed Guidelines for Carcinogen Risk Assessment (1986)

This information is furnished without warranty, express or implied, except that it is accurate to the best knowledge of our company. It relates only to the specific material designated herein, and does not relate to use in combination with any other material or in any process. Our company assumes no legal responsibility for use of or reliance upon this information.

SAFETY DATA SHEET

1. Identification of the substance/preparation and of the company/undertaking

Product name : Yellow Toner powder (cartridge) for Pro9541WT
(Toner powder name : OKT6Y)

Manufacturer : Oki Data Corporation
3-1, Futaba-cho, Takasaki-shi, GUNMA, 370-8585 JAPAN
Tel. +81-27-328-6366. Fax +81-27-328-6396

SUPPLIER : Oki Data Americas, Inc.
8505 Freeport Pkwy, Suite 600 Irving, TX 75063, USA
Tel. +1-856-235-2600

EMERGENCY TELEPHONE NUMBER: Tel. +1-856-235-2600

2. Hazards identification

Classification of the mixture
GHS: Not classified as hazardous.
OSHA Hazard Communication Standard 29 CFR 1910.1200:
Not classified as hazardous in accordance with Appendix A (Health Hazard Criteria) or B (Physical Hazard Criteria) to the Standard.

Label elements (Hazard, Signal words, Hazard statement and Precautionary statements)
GHS: None required.
OSHA Hazard Communication Standard 29 CFR 1910.1200 (Appendix C.4.30):
"Combustible Dust - Warning - May form combustible dust concentrations in air."
"Keep away from all ignition sources including heat, sparks and flame."
Keep container closed.
Prevent dust accumulations to minimize explosion hazard."

These label elements are not required if this mixture (toner) is in cartridges or sealed bottle.
Refer to Section 16 for details.

Other hazards which do not result in classification
Physical hazards
This mixture, like most organic powders, can cause a dust explosion if particles form thick clouds.
Carcinogenicity
This mixture contains titanium dioxide listed by IARC as Group 2B (possibly carcinogenic to humans); however, no significant exposure to titanium dioxide is thought to occur during the use of the product because titanium dioxide is mostly in a bound form in this mixture.
Other information
This mixture complies with the requirements of the RoHS Directive 2011/65/EU and its amendment directives.

3. Composition/information on ingredients

Substance [] Mixture [X]

Hazardous ingredients*	CAS No.	% in mixture	TSCA listed/exempted	Classification
None				

* Ingredients hazardous within the meaning of GHS and present above the cut-off level.

Ingredient	CAS No.	% in mixture	TSCA listed/exempted
Styrene acrylate copolymer	NJ TSRN 202775807-6000	80-90	Yes
Wax	NJ TSRN 202775807-6001	5-15	Yes
Pigment	Confidential	3-10	Yes
Amorphous silica	7631-86-9	1-3	Yes
Titanium dioxide	13463-67-7	0.1-0.9	Yes

Refer to Section 8 for the exposure limits and Section 11 for toxicological information.

SAFETY DATA SHEET

4. First-aid measures

Immediate medical attention may be required in the unlikely event of extreme inhalation, eye contact or unusual reaction due to physical idiosyncrasy of the person.

Eye Contact:

Do not rub eyes. Immediately rinse with plenty of clean running water until particles are washed out.
If irritation persists, seek medical advice.

Skin Contact:

Wash out particles with plenty of water and soap.
If irritation develops, seek medical advice.

Inhalation:

Provide fresh air immediately.
If symptoms occur, seek medical advice

Ingestion:

Clean mouth out with water.
Drink several glasses of water.
If sickness develops, seek medical advice.

Most important symptoms / effects, acute and delayed

Eye contact: Irritation may occur by mechanical abrasion.
Skin contact: Minimal skin irritation may occur.
Inhalation: Slight irritation of respiratory tract may occur with exposure to large amount of toner dust.
Ingestion: Ingestion is an unlikely route of entry under normal conditions of use.

5. Fire-fighting measures

Suitable extinguishing media: Water, foam, dry chemical

Extinguishing media which shall not be used: None known.

Specific hazards arising from the mixture itself, combustion products, or resulting gases:

Toner, like most organic powders, is capable of creating a dust explosion when particles form thick clouds in the presence of an ignition source.
Carbon monoxide and carbon dioxide are hazardous resulting gases.

Special protective actions for fire-fighters:

Avoid generating dust.
Wear protective equipment such as respiratory apparatus as needed.
Keep away from downwind of the fire.
Keep containers cool with water spray.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Avoid dispersal of dust in the air. (Do not clear dust surfaces with compressed air.)
Do not breathe dust.
Wear personal protective equipment as described in Section 8.

Environmental precautions:

Do not discharge into drains, surface or ground water.

Methods and materials for containment and cleaning up:

Eliminate sources of ignition including sparks and flammables.
Nonsparking tools should be used.
Shelter the released material (powder) from wind to avoid dust formation and scattering.
Vacuum or sweep the material into a sealed container. If a vacuum cleaner is used, it must be dust explosion-proof.
Dispose of the material in accordance with Federal/state/local requirements.

7. Handling and storage

Precautions for safe handling

Minimize dust generation and accumulation.
Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces.
Dry powders can build static electricity charges when subjected to the friction of transfer and mixing operations. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
Handle in an adequately ventilated area.
Do not breathe dust.
Do not get in eyes or on skin.
Keep away from excessive heat and sources of ignition such as sparks and open flames.
Keep away from strong oxidizers.

Conditions for safe storage, including any incompatibilities

Keep containers closed and store at room temperature.
Keep away from excessive heat and sources of ignition including sparks.
Do not store with strong oxidizers.
Do not use a plastic with a plasticizer (e.g. Polyvinyl chloride) for a container to maintain the integrity of the material.
Keep out of the reach of children.

SAFETY DATA SHEET

8. Exposure controls/personal protection

Control parameters (Occupational exposure limit and biological limit values)

Mixture as particulate not otherwise classified

 OSHA PELs (TWA): 15 mg/m³ (Total dust), 5 mg/m³ (Respirable fraction)

 ACGIH TLV (TWA) : 10 mg/m³ (Inhalable particulate), 3 mg/m³ (Respirable particulate)

Ingredient	OSHA PELs (TWA)	ACGIH TLV (TWA)
Titanium dioxide	Total dust 15mg/m ³	10mg/m ³
Amorphous silica	20 mppcf* or 80% SiO ₂ mg/m ³ (* million particles per cubic foot)	Not established

Appropriate engineering controls

Handle in an adequately ventilated area.

It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen-deficient environment.

Ensure that dust-handling systems such as an exhaust ducts, dust collectors, vessels, and processing equipment are designed in a manner to prevent the escape of dust into the work area (i.e. there is no leakage from the equipment).

Use only appropriately classified electrical equipment and powered industrial trucks.

Individual protection measures, such as personal protective equipment (PPE)

Gloves are recommended.

Protective goggles or safety glasses are recommended.

Personal respiratory mask is not required under normal conditions of the intended use, but a respirator is needed in case of dust formation.

9. Physical and chemical properties

Appearance:	Fine yellow powder
Odor:	None or slight plastic odor
Odor threshold:	No data available
pH:	Not applicable
Melting point/freezing point:	Not applicable
Initial boiling point and boiling range:	Not applicable
Flash point:	Not applicable
Evaporation rate:	Not applicable
Flammability:	No data available.
Upper/lower flammability or explosive limits:	Not applicable
Vapor pressure:	Not applicable
Vapor density:	Not applicable
Relative density :	about 1.2
Solubility:	Negligible in water. Partially soluble in some organic solvents such as toluene and tetrahydrofuran.
Partition coefficient:	n-octanol/water No data available
Auto-ignition temperature:	No data available
Decomposition temperature:	No data available
Viscosity:	Not applicable

10. Stability and reactivity

Reactivity

No significant reaction will occur with air or water at room temperature.

Chemical Stability

This mixture is stable under normal conditions of use and storage.

Possibility of hazardous reactions

No hazardous polymerization will occur.

Conditions to avoid

Excessive heat

Dust formation

Incompatible materials

Strong oxidizers, which could vigorously oxidize organic materials in this mixture and cause a fire in an extreme case.

Hazardous decomposition products

Carbon monoxide and carbon dioxide when combusted.

SAFETY DATA SHEET

11. Toxicological information

According to our test results of this or similar mixture and the information provided by the suppliers about the substances contained in this mixture, seriously damaging effect is not expected when this mixture is treated in accordance with standard industrial practices and Federal/state/local requirements. Refer to Section 2 for potential health effects and Section 4 for first aid measures.

Acute toxicity**Oral:**

LD50 rat > 5,000 mg/kg

Inhalation:

No test data available.

Dermal:

No test data available.

Skin corrosion/irritation:

No test data available.

Serious eye damage/irritation:

This mixture is classified as a nonirritant.

Respiratory Sensitization

No test data available.

None of the substances in this mixture is classified as a respiratory sensitizer.

Skin sensitization:

Skin sensitizing potential negative (Local Lymph Node Assay)

Germ cell mutagenicity:

Ames test (Salmonella typhimurium, Escherichia coli) negative.

Carcinogenicity:

No test data available.

Titanium dioxide is listed by IARC as Group 2B (possibly carcinogenic to humans); however, inhalation tests of titanium dioxide by Muhle et al. (Reference 2) showed no significant carcinogenicity. Moreover, IARC monograph vol. 93 states that exposure levels are assumed to be lower in the user industries, with the possible exception of workers who handle large quantities of titanium dioxide. Titanium oxide in this mixture is within small quantity and mostly in a bound form. Therefore, no significant exposure to titanium dioxide is thought to occur during the use of the product.

Reproductive toxicity:

No test data available.

None of the substances in this mixture is classified for reproductive toxicity.

STOT (Specific Target Organ Toxicity) -single exposure:

No test data available.

STOT – repeated exposure:

No test data available.

Inhalation test of a toner for two years showed no significant carcinogenicity. (Reference 1)

In rats chronic exposure to toner concentrations 4 mg/m³ and over lead to an accumulation of particles in the lung as well as to persistent inflammatory processes and slight to moderate fibrotic changes in the lungs of rats. In hamsters these effects were only observed at significantly higher concentrations (> 20 mg/m³). The particle accumulation in the lung tissue of the experimental animals is attributed to a damage and overload of the lung clearance mechanisms and is called "lung overloading". This is not an effect specific to toner dust but is generally observed when high concentrations of other, slightly soluble dusts are inhaled.

The lowest-observable-effect-level (LOEL) was 4 mg/m³ and the no-observable-effect-level (NOEL) was 1 mg/m³ in rats. The NOEL was greater than 6 mg/m³ in hamsters. (Reference 2) Toner concentration under the normal use of this product is estimated less than 1 mg/m³.

Aspiration hazard:

No test data available.

SAFETY DATA SHEET

12. Ecological information

According to the information provided by the suppliers about the substances contained in this mixture, this mixture is not expected to be harmful to ecology.

12.1 Ecotoxicity

No data available

12.2 Persistence and degradability

No data available.

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Other adverse effects

None known.

13. Disposal considerations

This mixture may be landfilled or incinerated in compliance with all Federal/state/local provisions.
Do not dump this product into sewers, on the ground, or into any body of water.

14. Transport information

International Transport Information

Not a regulated material under the United State DOT, IMDG, ADR, RID, or ICAO/IATA.

UN number: None

UN proper shipping name: None

Transport hazard class: None

Packing group: Not applicable

Environmental hazard:

Not a marine pollutant according to the IMDG Code.

Not environmentally hazardous according to the UN Model Regulations, ADR, RID or ADN.

Transport in bulk: Not applicable

Special precautions for user in connection with transport:

Do not open or break a container during transportation unless absolutely needed.

15. Regulatory information

United States of America

TSCA: All the substances in this mixture are listed or exempted in accordance with TSCA.

CERCLA Reportable Quantity (40 CFR 117, 302): Not applicable to this mixture.

SARA Title III (EPCRA)

Section 302 (40 CFR 355):

Not applicable to this mixture.

Section 311/312 (40 CFR 370):

Immediate health hazard: No

(All the ingredients of this product are bound within the mixture.)

Chronic health hazard: No

(All the ingredients of this product are bound within the mixture.)

Sudden release of pressure hazard: No

Reactive hazard: No

Section 313 (40 CFR 372):

Not applicable to this mixture.

California Proposition 65 (Safe Drinking Water and Toxic Enforcement Act of 1986)

This product is in compliance with the regulation as all ingredients are bound within the mixture.

Please refer to any other Federal/state/local measures that may be relevant.

People's Republic of China

National Standard GB 13690-2009 (China GHS): No label element is required.

Republic of Korea

Industrial Safety and Health Act, Standard for Classification and Labeling of Chemical Substances and Material Safety Data Sheets (MoL Public Notice 2013-37), Toxic Chemicals Control Act, and Regulation for Classification and Labeling of Toxic Chemicals (NIER Public Notice 2008-26): No label element is required.

SAFETY DATA SHEET

16. Other information

This document was prepared to comply with the requirements in the United States and may not meet regulatory requirements in other countries.

Refer to NFPA 654, Standard for the Prevention of Fire and Dust Explosions from the Manufacturing, Processing, and Handling of Combustible Particulate Solids, for safe handling.

As stated in Section 2, this mixture is subject to the label element requirement for combustible dust in accordance with OSHA Hazard Communication Standard 29 CFR 1910.1200 (Appendix C.4.30); however, it is not applied if the mixture is in cartridges or sealed bottles which are articles and not expected to release the mixture in powder form under intended use. In "Frequently Asked Questions: Hazard Communication (HAZCOM)" OSHA says, "OSHA has previously stated that intermittent or occasional use of a copying machine does not result in coverage under the rule."

Date of preparation of this revision 9/21/2018

Information on the revision

This document was newly issued in accordance with OSHA Hazard Communication Standard 29 CFR 1910.1200 and Globally Harmonized System of Classification and Labelling of Chemicals (GHS), the fourth revised edition published by United Nations in 2011.

Abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
ADN	Accord Europeen Relatif Au Transport International Des Marchandises Dangereuses Par Voies De Navigation Interieures (European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord europeen relatif au transport international des marchandises Dangereuses par Route (The European agreement on cross-border transportation of dangerous goods by road)
AICS	Australian Inventory of Chemical Substances
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
DOT	Department Of Transportation
DSL	(Canada) Domestic Substance List
EC	European Community
EC50	half maximal (50%) Effective Concentration
EINECS	European Inventory of Existing Commercial chemical Substances
ELINCS	European List of Notified Chemical Substances
ENCS	(Japan) Existing and New Chemical Substances
EPA	Environmental Protection Agency
EPCRA	Emergency Planning and Community Right-to-know Act
ErC50	EC50 in terms of reduction of growth rate
EU	European Union
GHS	Globally Harmonized System of Classification and Labelling of Chemicals
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
ICAO	International Civil Aviation Organization
IC50	half maximal (50%) Inhibitory Concentration
IECSC	Inventory of Existing Chemical Substances produced or imported in China
IMDG	International Maritime Dangerous Goods
KECI	Korea Existing Chemicals Inventory
LD50	Lethal Dose, 50 % kill
MoL	(Korea) Ministry of Labor
NIER	(Korea) National Institute of Environmental Research
NFPA	National Fire Protection Association
NTP	National Toxicology Program
NOEC	Non Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OSHA	Occupational Safety and Health Administration
PELs	Permissible Exposure Limits
PICCS	Philippines Inventory of Chemicals and Chemical Substances
RID	Règlement International concernant le transport des marchandises Dangereuses par chemin de fer (the international regulations covering transportation of dangerous goods by rail)
RoHS	Directive 2011/65/EU of the European Parliament and of the Council of 8 June 2011 on the restriction of the use of certain hazardous substances in electrical and electronic equipment
SARA	Superfund Amendments and Reauthorization Act of 1986
SDS	Safety Data Sheet
TSCA	Toxic Substances Control Act
TLV	Threshold Limit Value
TWA	Time Weighted Average
UN	United Nations

References

- (1) "Negative Effect of Long-term Inhalation of Toner on Formation of 8-Hydroxydeoxyguanosine in DNA in the Lungs of Rats in Vivo", Yasuo Morimoto, et. Al., Inhalation Toxicology, Vol. 17 (13) 749-753 (2005)
- (2) Studies by Muhle, Bellmann, Creutzenberg et al.
 "Lung clearance and retention of toner, utilizing a tracer technique during chronic inhalation exposure in rats." Fundam. Appl. Toxicol 17 (1991) p.300-313.
 "Lung clearance and retention of toner, TiO₂, and crystalline silica, utilizing a tracer technique during chronic inhalation exposure in Syrian golden hamsters." Inhal. Toxicol. 10 (1998) p.731-751.
 "Subchronic inhalation study of toner in rats." Inhal. Toxicol. 2 (1990) p.341-360.
 "Pulmonary response to toner upon chronic inhalation exposure in rats." Fundam. Appl. Toxicol. 17 (1991) p.280-299
 "Pulmonary response to toner, TiO₂ and crystalline silica upon chronic inhalation exposure in Syrian golden hamsters." Inhal. Toxicol. 10 (1998) p.699-729.

SAFETY DATA SHEET

1. Identification of the substance/preparation and of the company/undertaking

Product name : Magenta Toner powder (cartridge) for Pro9541WT
(Toner powder name : OKT6M)

Manufacturer : Oki Data Corporation
3-1, Futaba-cho, Takasaki-shi, GUNMA, 370-8585 JAPAN
Tel. +81-27-328-6366. Fax +81-27-328-6396

SUPPLIER : Oki Data Americas, Inc.
8505 Freeport Pkwy, Suite 600 Irving, TX 75063, USA
Tel. +1-856-235-2600

EMERGENCY TELEPHONE NUMBER: Tel. +1-856-235-2600

2. Hazards identification

Classification of the mixture
GHS: Not classified as hazardous.
OSHA Hazard Communication Standard 29 CFR 1910.1200:
 Not classified as hazardous in accordance with Appendix A (Health Hazard Criteria) or B (Physical Hazard Criteria) to the Standard.

Label elements (Hazard, Signal words, Hazard statement and Precautionary statements)
GHS: None required.
OSHA Hazard Communication Standard 29 CFR 1910.1200 (Appendix C.4.30):
 "Combustible Dust - Warning - May form combustible dust concentrations in air."
 "Keep away from all ignition sources including heat, sparks and flame."
 Keep container closed.
 Prevent dust accumulations to minimize explosion hazard."

These label elements are not required if this mixture (toner) is in cartridges or sealed bottle.
 Refer to Section 16 for details.

Other hazards which do not result in classification

Physical hazards
 This mixture, like most organic powders, can cause a dust explosion if particles form thick clouds.

Carcinogenicity
 This mixture contains titanium dioxide listed by IARC as Group 2B (possibly carcinogenic to humans); however, no significant exposure to titanium dioxide is thought to occur during the use of the product because titanium dioxide is mostly in a bound form in this mixture.

Other information
 This mixture complies with the requirements of the RoHS Directive 2011/65/EU and its amendment directives.

3. Composition/information on ingredients

Substance [] Mixture [X]

Hazardous ingredients*	CAS No.	% in mixture	TSCA listed/exempted	Classification
None				

* Ingredients hazardous within the meaning of GHS and present above the cut-off level.

Ingredient	CAS No.	% in mixture	TSCA listed/exempted
Styrene acrylate copolymer	NJ TSRN 202775807-6000	80-90	Yes
Wax	NJ TSRN 202775807-6006	5-15	Yes
Pigment	NJ TSRN 202775807-6003	3-10	Yes
Amorphous silica	7631-86-9	1-3	Yes
Titanium dioxide	13463-67-7	0.1-0.9	Yes

Refer to Section 8 for the exposure limits and Section 11 for toxicological information.

SAFETY DATA SHEET

4. First-aid measures

Immediate medical attention may be required in the unlikely event of extreme inhalation, eye contact or unusual reaction due to physical idiosyncrasy of the person.

Eye Contact:

Do not rub eyes. Immediately rinse with plenty of clean running water until particles are washed out.
If irritation persists, seek medical advice.

Skin Contact:

Wash out particles with plenty of water and soap.
If irritation develops, seek medical advice.

Inhalation:

Provide fresh air immediately.
If symptoms occur, seek medical advice

Ingestion:

Clean mouth out with water.
Drink several glasses of water.
If sickness develops, seek medical advice.

Most important symptoms / effects, acute and delayed

Eye contact: Irritation may occur by mechanical abrasion.
Skin contact: Minimal skin irritation may occur.
Inhalation: Slight irritation of respiratory tract may occur with exposure to large amount of toner dust.
Ingestion: Ingestion is an unlikely route of entry under normal conditions of use.

5. Fire-fighting measures

Suitable extinguishing media: Water, foam, dry chemical

Extinguishing media which shall not be used: None known.

Specific hazards arising from the mixture itself, combustion products, or resulting gases:

Toner, like most organic powders, is capable of creating a dust explosion when particles form thick clouds in the presence of an ignition source.
Carbon monoxide and carbon dioxide are hazardous resulting gases.

Special protective actions for fire-fighters:

Avoid generating dust.
Wear protective equipment such as respiratory apparatus as needed.
Keep away from downwind of the fire.
Keep containers cool with water spray.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Avoid dispersal of dust in the air. (Do not clear dust surfaces with compressed air.)
Do not breathe dust.
Wear personal protective equipment as described in Section 8.

Environmental precautions:

Do not discharge into drains, surface or ground water.

Methods and materials for containment and cleaning up:

Eliminate sources of ignition including sparks and flammables.
Nonsparking tools should be used.
Shelter the released material (powder) from wind to avoid dust formation and scattering.
Vacuum or sweep the material into a sealed container. If a vacuum cleaner is used, it must be dust explosion-proof.
Dispose of the material in accordance with Federal/state/local requirements.

7. Handling and storage

Precautions for safe handling

Minimize dust generation and accumulation.
Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces.
Dry powders can build static electricity charges when subjected to the friction of transfer and mixing operations. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
Handle in an adequately ventilated area.
Do not breathe dust.
Do not get in eyes or on skin.
Keep away from excessive heat and sources of ignition such as sparks and open flames.
Keep away from strong oxidizers.

Conditions for safe storage, including any incompatibilities

Keep containers closed and store at room temperature.
Keep away from excessive heat and sources of ignition including sparks.
Do not store with strong oxidizers.
Do not use a plastic with a plasticizer (e.g. Polyvinyl chloride) for a container to maintain the integrity of the material.
Keep out of the reach of children.

SAFETY DATA SHEET

8. Exposure controls/personal protection

Control parameters (Occupational exposure limit and biological limit values)

Mixture as particulate not otherwise classified

 OSHA PELs (TWA): 15 mg/m³ (Total dust), 5 mg/m³ (Respirable fraction)

 ACGIH TLV (TWA) : 10 mg/m³ (Inhalable particulate), 3 mg/m³ (Respirable particulate)

Ingredient	OSHA PELs (TWA)	ACGIH TLV (TWA)
Titanium dioxide	Total dust 15mg/m ³	10mg/m ³
Amorphous silica	20 mppcf* or 80% SiO ₂ mg/m ³ (* million particles per cubic foot)	Not established

Appropriate engineering controls

Handle in an adequately ventilated area.

It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen-deficient environment.

Ensure that dust-handling systems such as an exhaust ducts, dust collectors, vessels, and processing equipment are designed in a manner to prevent the escape of dust into the work area (i.e. there is no leakage from the equipment).

Use only appropriately classified electrical equipment and powered industrial trucks.

Individual protection measures, such as personal protective equipment (PPE)

Gloves are recommended.

Protective goggles or safety glasses are recommended.

Personal respiratory mask is not required under normal conditions of the intended use, but a respirator is needed in case of dust formation.

9. Physical and chemical properties

Appearance:	Fine magenta powder
Odor:	None or slight plastic odor
Odor threshold:	No data available
pH:	Not applicable
Melting point/freezing point:	Not applicable
Initial boiling point and boiling range:	Not applicable
Flash point:	Not applicable
Evaporation rate:	Not applicable
Flammability:	No data available.
Upper/lower flammability or explosive limits:	Not applicable
Vapor pressure:	Not applicable
Vapor density:	Not applicable
Relative density :	about 1.2
Solubility:	Negligible in water. Partially soluble in some organic solvents such as toluene and tetrahydrofuran.
Partition coefficient:	No data available
Auto-ignition temperature:	No data available
Decomposition temperature:	No data available
Viscosity:	Not applicable

10. Stability and reactivity

Reactivity

No significant reaction will occur with air or water at room temperature.

Chemical Stability

This mixture is stable under normal conditions of use and storage.

Possibility of hazardous reactions

No hazardous polymerization will occur.

Conditions to avoid

Excessive heat

Dust formation

Incompatible materials

Strong oxidizers, which could vigorously oxidize organic materials in this mixture and cause a fire in an extreme case.

Hazardous decomposition products

Carbon monoxide and carbon dioxide when combusted.

SAFETY DATA SHEET

11. Toxicological information

According to our test results of this or similar mixture and the information provided by the suppliers about the substances contained in this mixture, seriously damaging effect is not expected when this mixture is treated in accordance with standard industrial practices and Federal/state/local requirements. Refer to Section 2 for potential health effects and Section 4 for first aid measures.

Acute toxicity**Oral:**

LD50 rat > 5,000 mg/kg (OECD 425) (a similar product)

Inhalation:

No test data available.

Dermal:

No test data available.

Skin corrosion/irritation:

This mixture is classified as a nonirritant to the dermal tissue of rabbit. (OECD 404) (a similar product)

Serious eye damage/irritation:

No test data available.

Respiratory Sensitization

No test data available.

None of the substances in this mixture is classified as a respiratory sensitizer.

Skin sensitization:

Skin sensitizing potential negative (guinea pigs, Magnusson & Kligman's criteria)(OECD 406)(a similar product)

Germ cell mutagenicity:

Ames test (Salmonella typhimurium, Escherichia coli) negative.

Carcinogenicity:

No test data available.

Titanium dioxide is listed by IARC as Group 2B (possibly carcinogenic to humans); however, inhalation tests of titanium dioxide by Muhle et al. (Reference 2) showed no significant carcinogenicity. Moreover, IARC monograph vol. 93 states that exposure levels are assumed to be lower in the user industries, with the possible exception of workers who handle large quantities of titanium dioxide. Titanium oxide in this mixture is within small quantity and mostly in a bound form. Therefore, no significant exposure to titanium dioxide is thought to occur during the use of the product.

Reproductive toxicity:

No test data available.

None of the substances in this mixture is classified for reproductive toxicity.

STOT (Specific Target Organ Toxicity) -single exposure:

No test data available.

STOT – repeated exposure:

No test data available.

Inhalation test of a toner for two years showed no significant carcinogenicity. (Reference 1)

In rats chronic exposure to toner concentrations 4 mg/m³ and over lead to an accumulation of particles in the lung as well as to persistent inflammatory processes and slight to moderate fibrotic changes in the lungs of rats. In hamsters these effects were only observed at significantly higher concentrations (> 20 mg/m³). The particle accumulation in the lung tissue of the experimental animals is attributed to a damage and overload of the lung clearance mechanisms and is called "lung overloading". This is not an effect specific to toner dust but is generally observed when high concentrations of other, slightly soluble dusts are inhaled.

The lowest-observable-effect-level (LOEL) was 4 mg/m³ and the no-observable-effect-level (NOEL) was 1 mg/m³ in rats. The NOEL was greater than 6 mg/m³ in hamsters. (Reference 2) Toner concentration under the normal use of this product is estimated less than 1 mg/m³.

Aspiration hazard:

No test data available.

SAFETY DATA SHEET

12. Ecological information

According to the information provided by the suppliers about the substances contained in this mixture, this mixture is not expected to be harmful to ecology.

12.1 Ecotoxicity

No data available

12.2 Persistence and degradability

No data available.

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Other adverse effects

None known.

13. Disposal considerations

This mixture may be landfilled or incinerated in compliance with all Federal/state/local provisions.
Do not dump this product into sewers, on the ground, or into any body of water.

14. Transport information

International Transport Information

Not a regulated material under the United State DOT, IMDG, ADR, RID, or ICAO/IATA.

UN number: None

UN proper shipping name: None

Transport hazard class: None

Packing group: Not applicable

Environmental hazard:

Not a marine pollutant according to the IMDG Code.

Not environmentally hazardous according to the UN Model Regulations, ADR, RID or ADN.

Transport in bulk: Not applicable

Special precautions for user in connection with transport:

Do not open or break a container during transportation unless absolutely needed.

15. Regulatory information

United States of America

TSCA: All the substances in this mixture are listed or exempted in accordance with TSCA.

CERCLA Reportable Quantity (40 CFR 117, 302): Not applicable to this mixture.

SARA Title III (EPCRA)

Section 302 (40 CFR 355):

Not applicable to this mixture.

Section 311/312 (40 CFR 370):

Immediate health hazard: No

(All the ingredients of this product are bound within the mixture.)

Chronic health hazard: No

(All the ingredients of this product are bound within the mixture.)

Sudden release of pressure hazard: No

Reactive hazard: No

Section 313 (40 CFR 372):

Not applicable to this mixture.

California Proposition 65 (Safe Drinking Water and Toxic Enforcement Act of 1986)

This product is in compliance with the regulation as all ingredients are bound within the mixture.

Please refer to any other Federal/state/local measures that may be relevant.

People's Republic of China

National Standard GB 13690-2009 (China GHS): No label element is required.

Republic of Korea

Industrial Safety and Health Act, Standard for Classification and Labeling of Chemical Substances and Material Safety Data Sheets (MoL Public Notice 2013-37), Toxic Chemicals Control Act, and Regulation for Classification and Labeling of Toxic Chemicals (NIER Public Notice 2008-26): No label element is required.

SAFETY DATA SHEET

16. Other information

This document was prepared to comply with the requirements in the United States and may not meet regulatory requirements in other countries.

Refer to NFPA 654, Standard for the Prevention of Fire and Dust Explosions from the Manufacturing, Processing, and Handling of Combustible Particulate Solids, for safe handling.

As stated in Section 2, this mixture is subject to the label element requirement for combustible dust in accordance with OSHA Hazard Communication Standard 29 CFR 1910.1200 (Appendix C.4.30); however, it is not applied if the mixture is in cartridges or sealed bottles which are articles and not expected to release the mixture in powder form under intended use. In "Frequently Asked Questions: Hazard Communication (HAZCOM)" OSHA says, "OSHA has previously stated that intermittent or occasional use of a copying machine does not result in coverage under the rule."

Date of preparation of this revision 9/21/2018

Information on the revision

This document was newly issued in accordance with OSHA Hazard Communication Standard 29 CFR 1910.1200 and Globally Harmonized System of Classification and Labelling of Chemicals (GHS), the fourth revised edition published by United Nations in 2011.

Abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
ADN	Accord Europeen Relatif Au Transport International Des Marchandises Dangereuses Par Voies De Navigation Interieures (European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord europeen relatif au transport international des marchandises Dangereuses par Route (The European agreement on cross-border transportation of dangerous goods by road)
AICS	Australian Inventory of Chemical Substances
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
DOT	Department Of Transportation
DSL	(Canada) Domestic Substance List
EC	European Community
EC50	half maximal (50%) Effective Concentration
EINECS	European Inventory of Existing Commercial chemical Substances
ELINCS	European List of Notified Chemical Substances
ENCS	(Japan) Existing and New Chemical Substances
EPA	Environmental Protection Agency
EPCRA	Emergency Planning and Community Right-to-know Act
ErC50	EC50 in terms of reduction of growth rate
EU	European Union
GHS	Globally Harmonized System of Classification and Labelling of Chemicals
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
ICAO	International Civil Aviation Organization
IC50	half maximal (50%) Inhibitory Concentration
IECSC	Inventory of Existing Chemical Substances produced or imported in China
IMDG	International Maritime Dangerous Goods
KECI	Korea Existing Chemicals Inventory
LD50	Lethal Dose, 50 % kill
MoL	(Korea) Ministry of Labor
NIER	(Korea) National Institute of Environmental Research
NFPA	National Fire Protection Association
NTP	National Toxicology Program
NOEC	Non Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OSHA	Occupational Safety and Health Administration
PELs	Permissible Exposure Limits
PICCS	Philippines Inventory of Chemicals and Chemical Substances
RID	Règlement International concernant le transport des marchandises Dangereuses par chemin de fer (the international regulations covering transportation of dangerous goods by rail)
RoHS	Directive 2011/65/EU of the European Parliament and of the Council of 8 June 2011 on the restriction of the use of certain hazardous substances in electrical and electronic equipment
SARA	Superfund Amendments and Reauthorization Act of 1986
SDS	Safety Data Sheet
TSCA	Toxic Substances Control Act
TLV	Threshold Limit Value
TWA	Time Weighted Average
UN	United Nations

References

- "Negative Effect of Long-term Inhalation of Toner on Formation of 8-Hydroxydeoxyguanosine in DNA in the Lungs of Rats in Vivo", Yasuo Morimoto, et. Al., Inhalation Toxicology, Vol. 17 (13) 749-753 (2005)
- Studies by Muhle, Bellmann, Creutzenberg et al.
 "Lung clearance and retention of toner, utilizing a tracer technique during chronic inhalation exposure in rats." Fundam. Appl. Toxicol 17 (1991) p.300-313.
 "Lung clearance and retention of toner, TiO₂, and crystalline silica, utilizing a tracer technique during chronic inhalation exposure in Syrian golden hamsters." Inhal. Toxicol. 10 (1998) p.731-751.
 "Subchronic inhalation study of toner in rats." Inhal. Toxicol. 2 (1990) p.341-360.
 "Pulmonary response to toner upon chronic inhalation exposure in rats." Fundam. Appl. Toxicol. 17 (1991) p.280-299
 "Pulmonary response to toner, TiO₂ and crystalline silica upon chronic inhalation exposure in Syrian golden hamsters." Inhal. Toxicol. 10 (1998) p.699-729.

SAFETY DATA SHEET

1. Identification of the substance/preparation and of the company/undertaking

Product name : Cyan Toner powder (cartridge) for Pro9541WT
(Toner powder name : OKT5C)

Manufacturer : Oki Data Corporation
3-1, Futaba-cho, Takasaki-shi, GUNMA, 370-8585 JAPAN
Tel. +81-27-328-6366. Fax +81-27-328-6396

SUPPLIER : Oki Data Americas, Inc.
8505 Freeport Pkwy, Suite 600 Irving, TX 75063, USA
Tel. +1-856-235-2600

EMERGENCY TELEPHONE NUMBER: Tel. +1-856-235-2600

2. Hazards identification

GHS Classification

Physical Hazards

Explosives	:	Not classified
Flammable gases	:	Not applicable
Flammable aerosols	:	Not applicable
Oxidizing gases	:	Not applicable
Gases under pressure	:	Not applicable
Flammable liquids	:	Not applicable
Flammable solids	:	Classification not possible
Self-reactive substances and mixtures	:	Classification not possible
Pyrophoric liquids	:	Not applicable
Pyrophoric solids	:	Classification not possible
Self-heating substances and mixtures	:	Classification not possible
Substances and mixtures, which in contact with water, emit flammable gases	:	Classification not possible
Oxidizing liquids	:	Not applicable
Oxidizing solids	:	Classification not possible
Organic peroxides	:	Classification not possible
Corrosive to metals	:	Classification not possible

Health Hazards

Acute toxicity (oral)	:	Not classified
Acute toxicity (dermal)	:	Classification not possible
Acute toxicity (inhalation: dust, mist)	:	Classification not possible
Skin corrosion / irritation	:	Not classified
Serious eye damage / eye irritation	:	Classification not possible
Respiratory sensitizer	:	Classification not possible
Skin sensitizer	:	Not classified
Germ cell mutagenicity	:	Classification not possible
Carcinogenicity	:	Classification not possible
Toxic to reproduction	:	Classification not possible
Specific target organs/systemic toxicity following single exposure	:	Classification not possible
Specific target organs/systemic toxicity following repeated exposure	:	Classification not possible
Aspiration hazard	:	Classification not possible

Environmental Hazards

Hazardous to the aquatic environment (acute)	:	Classification not possible
Hazardous to the aquatic environment (chronic)	:	Classification not possible

In accordance with GHS classification criteria, this product is not classified as hazardous mixture.

SAFETY DATA SHEET

Indication of danger:

Not a hazardous substance or preparation according to EC-directives 67/548/EEC or 99/45/EC and their various amendments and adaptations.

[Potential Health Effects]

Ingestion Effects : Ingestion is not applicable route of entry for intended use.
Inhalation Effects : Minimal respiratory tract irritation may occur with exposure to large amount of toner dust.
Eye Effects : Solid or dusts may cause irritation or scratch the surface of eye.
Skin Effects : Unlikely to cause skin irritation.

[Environmental Hazards]

No particular hazards known.

3. Composition/information on ingredients

[Composition / Information] : Mixture

Ingredient(s):

Chemical Name/ Generic Name	CAS No.	Proportion (%)	OSHA PEL	ACGIH TLV	Other Limits
Styrene acrylate copolymer	Proprietary	80-90	Not applicable	Not applicable	Not available
Wax	Proprietary	5-15	Not applicable	Not applicable	Not available
Blue pigment	Proprietary	3-10	Not listed	Not listed	Not available
Silica	7631-86-9	1-3	20mppcf(*), 80(mg/m3)%SiO ₂	Not listed	Not available
Titanium dioxide	13463-67-7	0.1-0.9	15 mg/m ³	10 mg/m ³	Not available

(*) million particles/cubic foot

[Further Information] : No known.

4. First-aid measures

Ingestion : Dilute stomach contents with several glasses of water.
Get medical attention if symptoms persist.
Inhalation : Move person to fresh air immediately. If symptoms occur, consult a physician.
Eye Contact : Immediately flush with large amount of clean water for at least 15 minutes.
If irritation persists, consult a physician.
Skin Contact : Wash affected areas thoroughly with soap and water. If irritation persists, consult a physician.

5. Fire-fighting measures

Extinguishing Media : Water, foam, dry chemical
Special Fire-fighting Procedure : Keep personnel removed from and upwind of fire. Wear respiratory protection.
Cool container with water spray.
Unusual Fire & Explosion Hazards : Toner material, like most organic material in powder form, is capable of creating a dust explosion.

6. Accidental release measures

Spill and Leakage Procedure : Wear personal protective equipment as described in Section 8. Avoid breathing dust.
Minimize the release of particles. Vacuum or sweep the material into a bag or other sealed container. Dispose of waste toner in accordance with local requirements.
Environmental precautions : Do not discharge into drains.

7. Handling and storage

Advise on safe handling and protection against fire : Keep material out of reach of children. Avoid inhalation of dust and contact with eyes. Keep away from excessive heat, sparks, and open flames.
Requirements for storage rooms and advice on compatibility : Keep out of the reach of children. Keep container closed and store at room temperature. Keep away from strong oxidizers.

SAFETY DATA SHEET

8. Exposure controls/personal protection

Occupational Exposure Limits

ACGIH TLV	:	Particulates (Insoluble) Not Otherwise Specified 10mg/m3 (Inhalable Particulate) 3mg/m3 (Respirable Particulate)
OSHA PEL	:	Inert or Nuisance Dust 15mg/m3 (Total dust) 5mg/m3 (Respirable fraction)
Respiratory	:	Dust respiratory mask
Ventilation	:	Good general ventilation should be sufficient under intended use.
Protective Gloves	:	Use leather gloves for hand protection.
Eye Protection	:	Protecting glasses
Other Protective Equipment	:	Not required under intended use.

9. Physical and chemical properties

Appearance and odor	:	Fine powder, blue, slight plastic odor.
Density	:	About 1.2g/ cm3
Boiling Point	:	Not applicable
Melting Point	:	Not applicable.
Solubility in Water	:	Negligible
Solubility in Other	:	Partially soluble in toluene and THF
Percent Volatile by	:	Not applicable
Flammable Limits	:	Not applicable
Flash Point	:	Not applicable
Log Po/w	:	Not applicable
Explosibility	:	No data available.
Flammability	:	No data available.

10. Stability and reactivity

Stability & Reactivity	:	Stable. Hazardous polymerization will not occur.
Materials to Avoid	:	None
Hazardous	:	Combustion will produce carbon dioxide and, possibly toxic chemicals such as carbon monoxide.
Decomposition products	:	

11. Toxicological information

Acute toxicity (oral)	:	Test result of similar product shows LD50 >5000mg/kg. *1
Acute toxicity (dermal)	:	No test data available.
Acute toxicity (inhalation: dust,	:	No test data available.
Skin corrosion / irritation	:	Based on the result of skin irritation study, this product is classified as a nonirritant to the dermal tissue of the rabbit. *1
Serious eye damage / eye irritation	:	No test data available.
Respiratory sensitizer	:	No test data available.
Skin sensitizer	:	Based on the result of the skin sensitization study in mouse, the skin sensitizing potential of this product was considered negative. *1
Germ cell mutagenicity	:	Based on the result of Ames test (Salmonella typhimurium), this product has negative mutagenicity. *1
Carcinogenicity	:	No data available. IARC has issued a notice that they will publish a monograph that lists titanium dioxide (TiO2) as possibly carcinogenic to humans (Group 2B) by inhalation (based solely on animal data). Human epidemiology studies do not suggest an increased risk of cancer in humans for occupational exposure to titanium dioxide. IARC stated that exposure levels are assumed to be lower in the user industries, with the possible exception of workers who handle large quantities of titanium dioxide. IARC stated that exposure levels are assumed to be lower in the user industries, with the possible exception of workers who handle large quantities of titanium dioxide. No significant exposure to titanium dioxide is thought to occur during the use of products in which titanium dioxide is bound to other materials, such as in paints. Other ingredients in this product are not classified as any carcinogen. *2
Toxic to reproduction	:	No test data available.

SAFETY DATA SHEET

Specific target organs/ systemic toxicity following single exposure : No test data available.

Specific target organs/ systemic toxicity following repeated exposure : Oral : No test data available.
Dermal : No test data available.
Inhalation : No test data available.
In a study in rats of chronic inhalation exposure to a typical toner, a mild to moderate degree of lung fibrosis was observed in 92% of the rats in the high concentration (16mg/m³) exposure group. And a minimal to mild degree of fibrosis was noted in 22% of the animals in the middle (4mg/ m³) exposure group.
But no pulmonary change was reported in the lowest (1mg/ m³) exposure group, the most relevant level to potential human exposures. The quantity of toner exhausted with the normal use of this product is estimated less than 1mg/m³ per day.

Aspiration hazard : No test data available.

12. Ecological information

No data available for ecological and wastewater treatment (sewage) systems. Avoid spills and dispose of in accordance with applicable laws and regulations.

Aquatic Environment : No data available.

13. Disposal considerations

[Waste From This Product]

Waste material may be dumped or incinerated on condition that meets all country, state and local environmental regulations.
Recommendation: consult with the disposal agency and the relevant authorities; cleansing agent is water.

14. Transport information

[International Transport Information]

UN Number : None (ADR/RID, ADN, IMDG, IATA)
Hazards Class : None

15. Regulatory information

Label Information According to the DIRECTIVE 1999/45/EC (EU) : None

Inventories

ENCS (Japan)	:	Yes	
TSCA (USA)	:	Yes	
EINECS / ELINCS (EU)	:	Yes	
AICS (Australia)	:	Yes	
DSL (Canada)	:	Yes	(NDSL : No)
ECL (Korea)	:	Yes	
PICCS (Philippines)	:	Yes	
IECSC (China)	:	Yes	

All ingredients are registered under the industrial Chemicals (Notification and Assessment) Act 1989 , or under the polymer exemption.

All ingredients are exempt, registered or considered polymer under The Australian Inventory of Chemical Substances (AICS) with Directive NIC504735 : not classified.

Please refer to any other national measures that may be relevant.

16. Other information

[SDS STATUS]

Documents list

- *1 In-house data
- *2 • EC-directives 67/548/EEC and 99/45/EC
 - IARC Monographs volumes 1-103
 - EPA, Proposed Guidelines for Carcinogen Risk Assessment (1986)

This information is furnished without warranty, express or implied, except that it is accurate to the best knowledge of our company. It relates only to the specific material designated herein, and does not relate to use in combination with any other material or in any process. Our company assumes no legal responsibility for use of or reliance upon this information.

SAFETY DATA SHEET

1. Identification of the substance/preparation and of the company/undertaking

Product name : White toner powder (cartridge) for Pro9541WT (Toner powder name : ODW-1)

Manufacturer : Oki Data Corporation
3-1 Futaba-cho Takasaki-shi Gunma 370-8585 JAPAN
Tel: 81-27-328-6366 Fax: 81-27-328-6396

SUPPLIER : Oki Data Americas, Inc.
8505 Freeport Pkwy, Suite 600 Irving, TX 75063, USA
Tel. +1-856-235-2600

EMERGENCY TELEPHONE NUMBER: Tel. +1-856-235-2600

2. Hazards identification

GHS CLASSIFICATION

PHYSICAL AND CHEMICAL HAZARDS : Not classified

HEALTH HAZARDS

ACUTE TOXICITY(Oral) : Not classified

ACUTE TOXICITY(Dermal) : Not classified

ACUTE TOXICITY(Inhalation) : Not applicable(Vapours)

SKIN CORROSION / IRRITATION : Not classified

SERIOUS EYE DAMAGE / EYE IRRITATION : Not classified

RESPIRATORY SENSITIZATION : Classification not possible

SKIN SENSITIZATION : Not classified

GERM CELL MUTAGENICITY : Classification not possible

CARCINOGENICITY : Classification not possible

REPRODUCTIVE TOXICITY : Classification not possible

SPECIFIC TARGET ORGAN SYSTEMIC TOXICITY

- SINGLE EXPOSURE : Classification not possible

- REPEATED EXPOSURE : Classification not possible

ASPIRATION HAZARD : Classification not possible

ENVIRONMENTAL HAZARDS

HAZARDOUS TO THE AQUATIC ENVIRONMENT

- ACUTE TOXICITY : Classification not possible

- CHRONIC TOXICITY : Classification not possible

- HAZARDOUS TO THE OZONE LAYER : Classification not possible

GHS LABEL ELEMENTS

PICTOGRAMS OR SYMBOLS : Not applicable

SIGNAL WORD : Not applicable

HAZARD STATEMENTS : Not applicable

PRECAUTIONARY STATEMENTS

PREVENTION : Wash thoroughly after handling.
If needed, use personal protective equipment as required.

RESPONSE : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
IF ON SKIN: Gently wash with plenty of water and soap.
Call a POISON CENTER or doctor if you feel unwell.

STORAGE : Protect from sun. Store in a well-ventilated room (under 40°C).

SAFE HANDLING ADVICE : Refer to SDS.

3. Composition/information on ingredients

SUBSTANCE / MIXTURE : Mixture

INGREDIENTS AND CONCENTRATION RANGE

Ingredients	Concentration Range(%)	CAS RN
Polyester resin	Confidential	Confidential
Titanium dioxide	Confidential	13463-67-7
Other components	Confidential	Confidential

SAFETY DATA SHEET

4. First aid measures

IN CASE OF INHALATION	:	Remove person to fresh air and keep comfortable for breathing.
IN CASE OF SKIN CONTACT	:	Gently wash with plenty of soap and water.
IN CASE OF EYE CONTACT	:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
IN CASE OF INGESTION	:	Call a POISON CENTER or doctor/physician if you feel unwell.

5. Fire fighting measures

EXTINGUISHING MEDIA	:	Water spray, powder.
NOT SUITABLE EXTINGUISHING MEDIA	:	No information available
SPECIFIC HAZARDS	:	May produce irritating or toxic gases in a fire.
SPECIFIC METHODS	:	Keep away from sources of ignition and use the appropriate extinguishing media. Fight fire from upwind position if possible.
PROTECTION OF FIRE FIGHTERS	:	Use goggles in combination with dust mask, and another protections as appropriate to situation.

6. Accidental release measures

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURE	:	Use mask, goggles and protective gloves. Large spills : Remove person to safety. Ensure adequate ventilation. Treat from upwind position.
ENVIRONMENTAL PRECAUTIONS	:	Do not discharge into the drains, surface waters or ground water directly.
METHODS FOR CLEANING UP	:	Prevent dispersion of dust. Sweep or vacuum by dust-explosion-proof type cleaner.
PREVENTION OF SECONDARY HAZARDS	:	No information available

7. Handling and storage

HANDLING		
TECHNICAL MEASURES	:	Facilities storing or utilizing this material should be equipped with an eyewash
PRECAUTIONS	:	Avoid inhalation of fine dust.
SAFE HANDLING ADVICE	:	Use an adequate ventilation. Wash thoroughly after handling. If needed, use personal protective equipment as required. Prevent generation of dust. This material may cause risk of dust explosion.
STORAGE		
SUITABLE STORAGE CONDITIONS	:	Keep container tightly closed. Protect from sun. Store in a well-ventilated room (under 40 °C).
SAFE PACKAGING MATERIALS	:	No information available

8. Exposure controls/personal protection

ENGINEERING MEASURES	:	Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use local exhaust ventilation, in case of generation of dust.
LIMIT VALUES		
ACGIH (TLV)	:	TWA 10 mg/m3, STEL - : Titanium dioxide 10 mg/m3 TWA (inhalable particles, recommended); 3 mg/m3 TWA (respirable particles, recommended) (Particulates (insoluble or poorly soluble) not otherwise specified (PNOS))
OSHA (PEL)	:	PEL TWA Total dust 15mg/m3, (2012 year edition) : Titanium dioxide 15 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable fraction) (Particulates not otherwise regulated)
PERSONAL PROTECTIVE EQUIPMENT		
RESPIRATORY PROTECTION	:	Use dust mask, as appropriate to situation.
HAND PROTECTION	:	Rubber gloves.
EYE PROTECTION	:	Safety glasses with side shield (Safety goggles or Face shield).
SKIN AND BODY PROTECTION	:	Full-body suit.
HYGIENE MEASURES	:	No information available

SAFETY DATA SHEET

9. Physical and chemical properties

PHYSICAL STATES

FORM : Powder
 COLOUR : White
 ODOUR : Odourless
 pH : Not applicable

SPECIFIC TEMPERATURES / TEMPERATURE RANGES AT WHICH CHANGES IN PHYSICAL STATE OCCUR

BOILING POINT : No information available
 MELTING POINT : No information available
 FLASH POINT : Not applicable

FLAMMABILITY OR EXPLOSIVE PROPERTIES

FLAMMABILITY OR EXPLOSIVE LIMITS : UPPER LIMIT : No information available
 LOWER LIMIT : No information available
 VAPOUR PRESSURE : No information available
 VAPOUR DENSITY : No information available
 SPECIFIC GRAVITY(DENSITY) : 2.0 g/mL

SOLUBILITY

WATER SOLUBILITY : Insoluble
 SOLVENT SOLUBILITY : Partially soluble in toluene, chloroform and tetrahydrofuran.

PARTITION COEFFICIENT :

: No information available

n-OCTANOL / WATER(log Pow)

AUTO-IGNITION TEMPERATURE : No information available

DECOMPOSITION TEMPERATURE : No information available

ODOUR THRESHOLD : No information available

EVAPORATION RATE : No information available

FLAMMABILITY(SOLID,GAS) : No information available

VISCOSITY : No information available

OTHER DATA : No information available

10. Stability and reactivity

CHEMICAL STABILITY : Stable in general.

POSSIBILITY OF HAZARDOUS REACTIONS : Stable.

REACTIONS

CONDITIONS TO AVOID : No information available

INCOMPATIBLE MATERIALS : No information available

HAZARDOUS DECOMPOSITION PRODUCTS : No information available

OTHERS : No information available

11. Toxicological information

ACUTE TOXICITY
Oral

INFORMATION ON PRODUCT : Rat, Female, LD50 : > 2000 mg/kg

Dermal

INFORMATION ON PRODUCT : No information available

INFORMATION ON INGREDIENTS : No information available

Inhalation

INFORMATION ON PRODUCT : No information available

INFORMATION ON INGREDIENTS : No information available

SKIN CORROSION / IRRITATION

INFORMATION ON PRODUCT : Rabbit, undiluted, 4 hours semi-occluded application test (OECD404) :
 Not irritant

SERIOUS EYE DAMAGE / IRRITATION

INFORMATION ON PRODUCT : No information available

INFORMATION ON INGREDIENTS : No information available

RESPIRATORY OR SKIN SENSITIZATION
RESPIRATORY

INFORMATION ON PRODUCT : No information available

INFORMATION ON INGREDIENTS : No information available

SKIN

INFORMATION ON PRODUCT : Local Lymph Node Assay (LLNA, OECD429) : Negative

MUTAGENICITY

INFORMATION ON PRODUCT : Ames test (TA98, TA100, TA1535, TA1537, TA1538, WP2uvrA) : Negative

INFORMATION ON INGREDIENTS : No information available

SAFETY DATA SHEET

CARCINOGENICITY

INFORMATION ON PRODUCT	:	No information available
INFORMATION ON INGREDIENTS	:	No information available
IARC	:	IARC has issued a notice that they will publish a monograph that lists titanium dioxide (TiO ₂) as possibly carcinogenic to humans (Group 2B) by inhalation (based solely on animal data). Human epidemiology studies do not suggest an increased risk of cancer in humans for occupational exposure to titanium dioxide. IARC stated that exposure levels are assumed to be lower in the user industries, with the possible exception of workers who handle large quantities of titanium dioxide. No significant exposure to titanium dioxide is thought to occur during the use of products in which titanium dioxide is bound to other materials, such as in paints.
NTP	:	Not listed
EU	:	Not listed
OSHA	:	Not listed

REPRODUCTIVE TOXICITY

INFORMATION ON PRODUCT	:	No information available
INFORMATION ON INGREDIENTS	:	No information available

SPECIFIC TARGET ORGAN SYSTEMIC TOXICITY

- SINGLE EXPOSURE

INFORMATION ON PRODUCT	:	No information available
INFORMATION ON INGREDIENTS	:	No information available

- REPEATED EXPOSURE

INFORMATION ON PRODUCT	:	No information available
INFORMATION ON INGREDIENTS	:	No information available

ASPIRATION HAZARD

INFORMATION ON PRODUCT	:	No information available
INFORMATION ON INGREDIENTS	:	No information available

OTHER INFORMATION

: No information available

12. Ecological information

ECOTOXICITY	:	No information available
PERSISTENCE / DEGRADABILITY	:	No information available
MOBILITY IN SOIL	:	No information available
BIOACCUMULATIVE POTENTIAL	:	No information available
OTHER ADVERSE EFFECTS	:	No information available

13. Disposal considerations

Review "HANDLING AND STORAGE(Section7)".
Passed to a licensed waste contractor. This product may cause risk of dust explosion.
Dispose of waste in accordance with local,state and federal regulations.

14. Transport information

Follow all regulations in your country or region.

INTERNATIONAL REGULATIONS

UN CLASS / UN NUMBER	:	Not applicable. (ADR/RID, ADN/ADNR, IMDG, IATA)
SPECIAL PRECAUTIONS FOR USER	:	Review "ACCIDENTAL RELEASE MEASURES (Section 6)". Review "HANDLING AND STORAGE (Section 7)". Ensure containers without breakage or leakage. Ensure containers tightly fixed. Follow all regulations in your country or region. Avoid heating(keep under 40 °C).

15. Regulatory information

INVENTORIES	:	ENCS (Japan)	Yes
		TSCA (USA)	Yes
		EINECS (EU)	No (ELINCS)
		AICS (Australia)	Yes
		DSL (Canada)	Yes
		ECL (Korea)	Yes
		PICCS (Philippines)	Yes
		IECSC (China)	Yes

New Zealand information : Hazardous Substances and New Organisms (HSNO) Act 1996 : Silica, Tin compounds.

All ingredients are registered under The industrial Chemicals (Notification and Assessment) Act 1989 , or under the polymer exemption.

All ingredients are exempt, registered or considered polymer under The Australian Inventory of Chemical Substances (AICS).
with Directive NIC504735 : not classified.

Not every regulatory information for each countries can not be identified, please conform and comply regulations in your country or region, on your own responsibility.

SAFETY DATA SHEET**16. Other information**

REFERENCES : -Safety data sheet for chemical products - Part 1: Content and order of sections(ISO 11014-1)
-International Chemical Safety Cards(ICSC) (Compiler's Guide)(1994)

To the best of the manufacturer's knowledge, the information contained herein is accurate. However, neither the manufacturer, nor any of its affiliates, make any representations or warranties (expressed or implied), nor assumes any liability(including liability for any direct, incidental,consequential, or other damages) with respect to the accuracy or completeness of the information contained herein.

Such information may be (without limitation) invalid if the specified material is used in combination with another, in a particular process, or under unusual conditions.

Determination of suitability of any material for any given purpose is the sole responsibility of the user who assumes all risk and responsibility therefore.

All materials may present unknown hazards and should be used with appropriate caution.

The manufacturer cannot and does not guarantee that the hazards described herein are the only ones that exist.