Page 1 of 9



SAFETY DATA SHEET

1. IDENTIFICATION OF THE SUBSTANCE/ MIXTURE AND OF THE **COMPANY/ UNDERTAKING**

: Compress UV(445-S) Hybrid Ink - Yellow **Product Name**

Product IDN : CI-HYB-Y500

Material Uses : Ink for use in an ink jet process. Manufacturer : ColDesi / Colman & Company, Inc.,

12198 44th Street North, Clearwater, FL 33487, USA

Phone: 800-891-1094

In Emergency, call CHEMTREC, in US and Canada, call 800-424-9300.

Outside of US or Canada, call 703-527-3887

Date Issued : January 31, 2024

2. HAZARD IDENTIFICATION

2.1 Classifications

Classification according to GHS

GHS09 Environment:

Chronic aq. tox. Cat. 1: H410

GHS07

Acute Tox. Cat.4: H302 Skin.Corr. Cat.1C: H314 EyeDam. Cat. 1 - H318 STOT-SE Cat. 3: H335 GHS08 Health Hazard Repr. Cat. 1B: H360

2.2 Label Elements:

Labeling according to GHS

Hazard pictograms



Signal Word: Danger

Page **2** of **9**

Hazard Statements:

H302: Harmful if swallowed.

H314: Causes severe skin burns and eye damage.

H318: Causes serious eye damage.

H335: May cause respiratory irritation.

H360: May damage fertility or the unborn child.

H410: Very toxic to aquatic life with long lasting effects

Precautionary Statements:

PREVENTION:

P203: Obtain, read and follow all safety instructions before use.

P260: Do not breathe dust/fume/gas/mist/vapors/spray.

P264 + P265: Wash hands thoroughly after handling. Do not touch eyes.

P270: Do not eat, drink or smoke when using this product.

P271: Use only outdoors or in a well-ventilated area.

P273: Avoid release to the environment.

P280: Wear protective gloves.

RESPONSE:

P301+P317: IF SWALLOWED: Get emergency medical help.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P302+P361+P354: IF ON SKIN: Take off immediately all contaminated clothing. Immediately rinse with water for several minutes.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P354+P338: IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P318: If exposed or concerned, get medical advice.

P363: Wash contaminated clothing before reuse.

P391: Collect spillage.

STORAGE:

P405: Store locked up.

DISPOSAL:

P501: Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other Hazards

Results of PBT and vPvB assessment:

PBT: Not applicable. vPvB: Not applicable.

3. COMPOSITION/ INFORMATION ON INGREDIENTS

Page 3 of 9

Chemical Characterization: Mixture Inkjet printing ink in organic solvents.

Ingredients	CAS No	EC Number	Reach Registration Number	Percent (%)	Classification GHS (Rev 5)
Colorant	Trade Secret	-	-	1-5%	Carcinogenicity - Cat. 1: H350 [Powder]
1,6 - Hexanediol Diacrylate	13048-33-4	235-921-9	Registered	10-20%	SkinIrrit.2: H315 SkinSens.1: H317 EyeIrrit.2: H319
Proprietary Monomer	Proprietary	Proprietary	Registered	10-20%	SkinIrrit.2: H315 EyeDam.1: H318 Acute Tox.4: H302 STOT SE 3: H335
2,4,6- trimethylbenzoyl – diphenyl phosphine oxide	75980-60-8	278-355-8	Registered	1-5%	Repr. tox. Cat. 2: H361
Bis (2,4,6- trimethyl benzoyl) phenyl phosphine oxide	162881-26-7	423-340-5	Registered	1-5%	Skin Sens. Cat.1A: H317 Chronic aq. tox. Cat. 4: H413
2-isopropyl-9H- thioxanthen-9-one	5495-84-1	226-827-9	Pending	<1%	Repr. tox. Cat. 2: H361 Chronic aq. tox. Cat. 1: H410
Ph(EO)A	48145-04-6	256-360-6	Registered	5-10%	Skin sens. Cat. 1A: H317 Repr. tox. Cat. 2: H361 Chronic aq. tox. Cat. 2: H411
Aliphatic epoxy diacrylate	Proprietary	Proprietary	Registered	<1%	Acute tox. [Oral] Cat. 4 - H302 Serious eye dam. Cat. 1 - H318 Skin sens. Cat. 1A - H317 Chronic aq.tox. Cat. 3 - H412
Polymerization inhibitor in acrylic acid ester	Proprietary	Proprietary	Registered	<1%	Serious eye dam.Cat. 2A: H319 Skin sens. Cat. 1: H317 Chronic aq. tox. Cat. 2: H411
Stabilizer	Proprietary	Proprietary	Registered	<2%	EyeIrrit.2: H319

Page **4** of **9**

					SkinSens.1: H317
Acrylated	Proprietary	Proprietary	Registered	1-5%	SkinIrrit.2: H315
Oligoamine					SkinSens.1: H317
					EyeIrrit.2: H319
					Aquatic Chronic 3:
					H412
Polyester Acrylate	Proprietary	Proprietary	Pending	<1%	SkinIrrit.1: H317
					EyeIrrit.2: H319
					Aquatic Chronic 3:
					H412
Tetrahydrofurfuryl	2399-48-6	219-268-7	Registered	50-60%	Acute Tox.4: H302
acrylate					Skin.Corr.1C: H314
					Repr.1B: H360
					Aquatic Chronic 2:
					H411

4. FIRST AID MEASURES

4.1 Description

Inhalation : If inhaled move to fresh air. Respiratory irritation may occur, if

symptoms develop seek medical attention. If not breathing, give artificial

respiration preferably mouth to mouth.

Ingestion : Give two glasses of water and monitor closely. Call a poison control

center, emergency room, or physician before trying to induce vomiting. Never give anything by mouth to an unconscious person. Get medical

attention if symptoms appear.

Skin Contact : In case of contact, immediately flush skin with plenty of water while

removing contaminated clothing and shoes. Wash clothing before reuse.

Get medical attention if symptoms appear.

Eye Contact: Do not rub eyes. In case of contact, immediately flush eyes with plenty of

water for at least 15 minutes. If irritation persists, get medical attention.

4.2 Most Important Symptoms and Effects, Both Acute and Delayed Potential Health Effects

Eye Contact: Causes severe eye injury which may persist for several days.

Inhalation: Exposure to vapors (mist) may be harmful to the unborn child and at the risk of impaired

fertility and irritate nose, throat/respiratory system.

Skin Contact: Contact with skin may cause irritation, swelling or redness, allergy and/or sensitization.

Ingestion: May cause injury of mouth, throat, and stomach.

Over Exposure Signs/Symptoms

Eye Contact: No specific data. **Inhalation:** No specific data.

Page **5** of **9**

Skin Contact: No specific data. **Ingestion**: No specific data.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

5.1 Extinguishing Media

Suitable Extinguishing Media: Alcohol-resistant foam, dry chemical, carbon dioxide (CO₂), water spray.

5.2 Special Hazards arising from the substance or mixture

Carbon Oxides

5.3 Advice for Fire-Fighters

Use breathing apparatus with independent air supply.

Protective suit.

5.4 Further Information

Use water spray to cool unopened containers.

5.5 NFPA Ratings

Health:2 Flammability: 2 Reactivity: 1

Hazard Scale: 0=Minimal 1=Slight 2=Moderate 3=Serious 4=Severe

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal Precautions, Protective Equipment and Emergency Procedures

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

6.2 Environmental Precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wetbrushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Handling

: Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Keep away from sources of ignition- No smoking.

Page 6 of 9

Take measures to prevent the buildup of electrostatic charge.

7.2 Conditions for safe

storage

: Store in cool place and away from light. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent

leakage.

7.3 Specific end uses : no data available

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameter

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal Protective Equipment

[Respiratory Protection]: Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such NIOSH (US) or CEN (EU).

[Body Protection]: Complete suit protecting against chemicals. The type of protective equipment must be selected according to the concentration and amount of dangerous substances at the specific workplace.

[Skin Protection]: Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves must satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

[Eye/face Protection]: Face shield and safety glasses. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU)

9. PHYSICAL AND CHEMICAL PROPERTIES				
Color	: Yellow			
Odor	: Slight odor			
Boiling Point/boiling range of ink				
Melting Point/melting range	: No data available			
Flash Point of ink	: No data available			
Auto-Ignition Temperature	: No data available			
Flammability (solid, gas)	: No data available			
Specific Gravity	: Not Applicable			

Page **7** of **9**

Vapor Density : No data available Vapor Pressure : Not Applicable **Explosive Properties** : No data available : No data available. Solubility Water Solubility : Easily soluble Viscosity : No data available. : Not applicable рН VOCs : No data available. : No data available Oxidizing Properties : No data available

The physical and chemical data given in Section 9 are typical values for this product and are not intended to be product specifications.

10. STABILITY AND REACTIVITY

10.1 Reactivity : High temperatures and UV light cause rapid polymerization

10.2 Chemical Stability : Unstable. Polymerizes under heat and light

10.3 Possibility of : No data available

hazardous reactions

10.4 Conditions to avoid
 10.5 Incompatible materials
 10.6 Hazardous
 Heat, flames, sparks, direct exposure to light
 Strong oxidizing agents, strong bases, water
 Other decomposition products – no data available

decomposition products

11. TOXICOLOGICAL INFORMATION

11.1 Routes of : Eye, skin, inhalation, and oral ingestion

Overexposure

11.2 Health Hazards:

Acute Health Hazards : Overexposure of the eye surface to ink may be mildly irritating.

Overexposure of ink contact with the skin may cause irritation and, in some people, swelling and redness. Intentional inhalation of ink vapors may result in respiratory tract irritation. Intentional

or accidental oral ingestion may cause an upset stomach

Chronic Health Hazards : No information available

Mutagenicity: No information availableCarcinogenicity: No information available

11.3 Toxicity:

Acute Toxicity Data : No information Inhalation : No information Irritating : No information Sensitization : Not available : Not available.

Page 8 of 9

12. ECOLOGICAL INFORMATION

: Aquatic toxicity: No further information available 12.1 Toxicity

12.2 Persistence and Degradability : No further relevant information available **12.3 Bioaccumulation Potential** : No further relevant information available 12.4 Mobility in Soil : No further relevant information available

12.5 Results of PBT and vPvB : PBT: Not applicable Assessment : vPvB: Not applicable

12.6 Other Adverse Effects : No further relevant information available

13. DISPOSAL CONSIDERATIONS

13.1 Waste : Product

Disposal Waste must be disposed of according to the applicable state, federal, and

local regulations.

: Contaminated Packaging Dispose of as unused product

14. TRANSPORTATION INFORMATION

United States DOT Domestic Surface, USA, ICAO/IATA AIR, IMO/IMDG OCEAN, ADR, or RID

14.1 UN Number : UN3082

14.2 UN Proper Shipping Name : Environmentally Hazardous Substance, Liquid, N.O.S.

[Acrylic Monomers].

14.3 Transport Hazard Class(es) : ADR. IMDG. IATA - Class 9

14.4 Packaging Group : III 14.5 Environmental Hazards : Yes

: Transport and storage of the product in accordance with

14.6 Special Precautions for User

general precautions and instructions mentioned in this SDS 14.7 Other Information : Inner packaging less than 5L or 5Kg is exempted from

Dangerous Goods. Special Provision A197

: Not regulated as Dangerous Goods when transported by 14.8 DOT

road in the United States.

15. REGULATORY INFORMATION

U.S Federal Regulations : Not available.

OSHA : This product is classified as an OSHA hazardous

material.

CERCLA: SARA Hazard Category : Acute Hazard

Section 313 : *Indicates toxic chemical(s) subject to the

reporting requirements of Section 313 of Title III

and of 40 CFR 372.

International Regulations

: Not available. **Canadian WHMIS** : Not available. **Canadian Environmental Protection** : Not available.

Act

Page **9** of **9**

EINECS : Not available. State Regulations : Not available.

State of California Proposition 65 : This product does not contain any chemicals

known to the state of California to cause cancer,

birth, or any other reproductive defects

16. OTHER INFORMATION

The information in this Safety Data Sheet (SDS) is believed to be correct to the best of our knowledge, information and belief at the date of its publication. The data in this Safety Data Sheet relates only to the specific material designated herein and does not relate to use in combination with any other material or in any process. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. This information is based upon technical information believed to be reliable. It is subject to revision as additional knowledge and experience is gained. ColDesi / Colman & Company, Inc. does not warrant the completeness or accuracy of the information contained herein.

Issue Date: January 31, 2024

Version: 1.00 English