

Page 1/9

# Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Print Date: 13/09/2024

Version: 2.0

Reviewed: 13/09/2024

### 1 Identification

Product identifier

Product name: P70i Compress UV White 500ml

Product code: CI-P70i-W500 Product description: Printing inks

Details of the supplier of the safety data sheet Coldesi / Colman & Company, Inc. 12198 44th Street North Clearwater, FL, 33762 - USA

Manufacturer/Supplier: Coldesi / Colman & Company, Inc. 12198 44th Street North Clearwater, FL, 33762 - USA 1-800-891-1094

In Emergency: Call CHEMTREC , in USA or Canada, call 1-800-424-9300 Outside of US or Canada, call 703-527-3887

## 2 Hazard(s) identification

Classification of the substance or mixture

Acute Toxicity - Oral 4 H302 Harmful if swallowed.

Sensitization - Skin 1 H317 May cause an allergic skin reaction.

Toxic to Reproduction 2 H361 Suspected of damaging fertility or the unborn child.

#### Label elements

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms



#### Signal word Warning

Hazard-determining components of labeling: 2-Propenoic acid, 2-[2-(ethenyloxy)ethoxy]ethyl ester Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide Neopentylglycol(PO)2 Diacrylate 4,4'-isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, esters with acrylic acid Hazard statements Harmful if swallowed. May cause an allergic skin reaction. Suspected of damaging fertility or the unborn child. Precautionary statements Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume/gas/mist/vapors/spray

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Print Date: 13/09/2024

Version: 2.0

Reviewed: 13/09/2024

Product name: P70i Compress UV White 500ml

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Call a poison center/doctor if you feel unwell.

Rinse mouth.

If on skin: Wash with plenty of water.

IF exposed or concerned: Get medical advice/attention.

Specific treatment (see on this label).

If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Additional information:

3.6 % of the mixture consists of component(s) of unknown toxicity.

### 3 Composition/information on ingredients

Chemical characterization: Mixtures

Description: Mixture of the substances listed below with nonhazardous additions.

Dangerous components:	
86273-46-3 2-Propenoic acid, 2-[2-(ethenyloxy)ethoxy]ethyl ester	≥ 50 - ≤ 100%
Acute Toxicity - Oral 4, H302; Sensitization - Skin 1, H317	
13463-67-7 titanium dioxide	≥ 2.5 - ≤ 10%
Carcinogenicity 2, H351	
75980-60-8 Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	2.5 - 10%
Toxic to Reproduction 2, H361	
84170-74-1 Neopentylglycol(PO)2 Diacrylate	≥0-≤10%
Sensitization - Skin 1, H317	
Ethanol, 2-amino-, polymer with α-hydro-ω-[(1-oxo-2-propen-1-yl)oxy]poly(oxy-1,2 ethanediyl) ether with 2-ethyl-2-(hydroxymethyl)-1,3-propanediol (3:1)	- ≤2.5%
Skin Irritation 2, H315; Eye Irritation 2A, H319	
55818-57-0 4,4'-isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropa esters with acrylic acid	ame0-≤2.5%
Sensitization - Skin 1, H317	

### 4 First-aid measures

Description of first aid measures

After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact: Immediately wash with water and soap and rinse thoroughly.

After eye contact: Rinse opened eye for several minutes under running water.

After swallowing: If symptoms persist consult doctor.

Most important symptoms and effects, both acute and delayed No further relevant information available. Indication of any immediate medical attention and special treatment needed No further relevant information available.

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Print Date: 13/09/2024

Version: 2.0

Reviewed: 13/09/2024

Product name: P70i Compress UV White 500ml

#### 5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents: Use fire fighting measures that suit the environment.

Special hazards arising from the substance or mixture No further relevant information available. Advice for firefighters

Protective equipment: No special measures required.

#### 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Not required. Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water. Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

### 7 Handling and storage

Handling:

Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Information about protection against explosions and fires: No special measures required.

Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: None.

Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

Additional information about design of technical systems: No further data; see section 7.

**Control parameters** 

Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: The lists that were valid during the creation were used as basis.

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Print Date: 13/09/2024

Version: 2.0

Reviewed: 13/09/2024

Product name: P70i Compress UV White 500ml

Exposure controls

Personal protective equipment:

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the

chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection: Goggles recommended during refilling.

## 9 Physical and chemical properties

Information on basic physical and chemical properties General Information

۸			ran		
AN	r n	22	ran	6 8.	

Appearance: Form: Color: Odor: Odor threshold:	Liquid White Characteristic Not determined.
pH-value:	Not determined.
Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. Undetermined.
Flash point:	> 100 °C (> 212 °F)
Flammability (solid, gaseous):	Not applicable.
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits: Lower: Upper:	Not determined. Not determined.

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Print Date: 13/09/2024

Version: 2.0

Reviewed: 13/09/2024

Product name: P70i Compress UV White 500ml

Vapor pressure:	Not determined.
Density: Relative density Vapor density Evaporation rate	Not determined. Not determined. Not determined. Not determined.
Solubility in / Miscibility with Water:	Fully miscible.
Partition coefficient (n-octanol/water	): Not determined.
Viscosity: Dynamic: Kinematic:	Not determined. Not determined.
Other information	No further relevant information available.

### 10 Stability and reactivity

Reactivity No further relevant information available.

Chemical stability

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Possibility of hazardous reactions No dangerous reactions known.

Conditions to avoid No further relevant information available.

Incompatible materials: No further relevant information available.

Hazardous decomposition products: No dangerous decomposition products known.

### 11 Toxicological information

Information on toxicological effects

Acute toxicity:

LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral LD50 633 - 642 mg/kg

86273-46-3 2-Propenoic acid, 2-[2-(ethenyloxy)ethoxy]ethyl ester

Oral LD50 500 mg/kg (ATE)

13463-67-7 titanium dioxide

Oral LD50 > 20,000 mg/kg (rat)

Dermal LD50 > 10,000 mg/kg (rabbit)

Inhalative LC50/4 h > 6.82 mg/l (rat)

Primary irritant effect:

on the skin: No irritant effect.

on the eye: No irritating effect.

Sensitization: Sensitization possible through skin contact.

Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

Carcinogenic categories IARC (International Agency for Research on Cancer)

13463-67-7 titanium dioxide: 2B

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Print Date: 13/09/2024

Version: 2.0

Reviewed: 13/09/2024

Product name: P70i Compress UV White 500ml

108-88-3 Toluene: 3

NTP (National Toxicology Program)

None of the ingredients is listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### 12 Ecological information

#### Toxicity

Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. Behavior in environmental systems: Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available. **Ecotoxical effects:** Remark: Harmful to fish Additional ecological information: General notes: Water hazard class 2 (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small guantities leak into the ground. Harmful to aquatic organisms Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available.

### 13 Disposal considerations

Waste treatment methods Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations. Recommended cleansing agent: Water, if necessary with cleansing agents.

# 14 Transport information

UN-Number DOT, IMDG, IATA UN proper shipping name DOT, IMDG, IATA Transport hazard class(es) DOT, ADN, IMDG, IATA Class Packing group DOT, IMDG, IATA Environmental hazards: Special precautions for user

not regulated

not regulated

not regulated Not applicable. Not applicable.

— US —

# Safety Data Sheet

according to the H	Safety Data Sheet lazard Communication Standard (CFR29 1910.1200)	) HazCom 2012
Print Date: 13/09/2024	Version: 2.0	Reviewed: 13/09/2024
oduct name: P70i Compress UV White 5	;00ml	
Transport in bulk according to Annex I MARPOL73/78 and the IBC Code UN "Model Regulation":	l of Not applicable. not regulated	
Regulatory information		
	lations/legislation specific for the substan	nce or mixture
Section 355 (extremely hazardou	substances):	
None of the ingredients is listed. Section 313 (Specific toxic chemic	cal listings):	
None of the ingredients is listed. TSCA (Toxic Substances Control Ac	t): e listed, or excluded from listing, on the	e United States Environmental Protecti
86273-46-3 2-Propenoic acid, 2-[2-(eth	enyloxy)ethoxy]ethyl ester: ACTIVE	
13463-67-7 titanium dioxide: ACTIVE		
75980-60-8 Diphenyl(2,4,6-trimethylbe		
84170-74-1 Neopentylglycol(PO)2 Dia	-	
55818-57-0 4,4'-isopropylidenediphe acrylic acid: ACTIVE	nol, oligomeric reaction products with	1-chloro-2,3-epoxypropane, esters w
Hazardous Air Pollutants		
67-56-1 methanol		
108-88-3 Toluene		
Proposition 65		
Chemicals known to cause cance	* •	
13463-67-7 titanium dioxide Chemicals known to cause reproc	fuctive toxicity for females:	
None of the ingredients is listed.		
Chemicals known to cause reproc	luctive toxicity for males:	
None of the ingredients is listed.		
Chemicals known to cause develo	pmental toxicity:	
67-56-1 methanol		
108-88-3 Toluene		
Carcinogenic categories <u>EPA (Environmental Protection A</u>	gency)	
108-88-3 Toluene: ll <u>TLV (Threshold Limit Value)</u>		
13463-67-7 titanium dioxide: A4		
108-88-3 Toluene: A4		
NIOSH-Ca (National Institute for C	Ccupational Safety and Health)	
13463-67-7 titanium dioxide		

13463-67-7 titanium dioxide

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Version: 2.0

Reviewed: 13/09/2024

Product name: P70i Compress UV White 500ml

Hazard pictograms

Print Date: 13/09/2024



Signal word Warning

Hazard-determining components of labeling: 2-Propenoic acid, 2-[2-(ethenyloxy)ethoxy]ethyl ester Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide Neopentylglycol(PO)2 Diacrylate 4,4'-isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, esters with acrylic acid Hazard statements Harmful if swallowed. May cause an allergic skin reaction. Suspected of damaging fertility or the unborn child. Precautionary statements Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume/gas/mist/vapors/spray Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Call a poison center/doctor if you feel unwell. Rinse mouth. If on skin: Wash with plenty of water. IF exposed or concerned: Get medical advice/attention. Specific treatment (see on this label). If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**Relevant phrases** 

H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H351 Suspected of causing cancer.

H361 Suspected of damaging fertility or the unborn child.

Contact:

Date of preparation / last revision 09/26/2023

Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

- US —

# Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Print Date: 13/09/2024

### Version: 2.0

Reviewed: 13/09/2024

Product name: P70i Compress UV White 500ml

ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Acute Toxicity - Oral 4: Acute toxicity - Category 4 Skin Irritation 2: Skin corrosion/irritation – Category 2 Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A Sensitization - Skin 1: Skin sensitisation - Category 1 Carcinogenicity 2: Carcinogenicity – Category 2 Toxic to Reproduction 2: Reproductive toxicity – Category 2 \* Data compared to the previous version altered.